

Site U1308, Table T20. Distribution of diatoms and silicoflagellates, Hole U1308C.

Core, section, interval (cm)	Abundance	Preservation			Diatoms			Silicoflagellates		
		G	M	P	T	R	S	RS	T	RS
303-U1308C-1H-2, 33	R	P	T							
1H-CC	T	P								
2H-1, 115	B									
2H-2, 75	F	M	T							
2H-4, 90	A	G	R							
2H-4, 115	F	M								
2H-5, 32	R	P	T							
2H-6, 58	B	M	T	*	*					
2H-CC	F	M								
3H-2, 138	B									
3H-3, 139	B									
3H-5, 48	C	M	T							
3H-8, 37	C	M	R							
3H-CC	B									
4H-CC	F	M	T	T						
5H-2, 61	B									
5H-4, 76	B									
5H-CC	B									
6H-5, 46	R	P	T							
6H-6, 66	B									
6H-CC	C	M	T	T						
7H-6, 93	B									
7H-CC	A	M	T	T						
8H-1, 22	T	P	T							
8H-1, 100	F	M								
8H-2, 100	A	M								
8H-4, 100	B									
8H-4, 130	B									
8H-5, 22	B									
8H-CC	R	M								
9H-2, 45	C	M								
9H-3, 100	B									
9H-5, 60	R	M								
9H-6, 70	B									
9H-CC	R	M	T							
10H-1, 35	B									
10H-1, 46	B									
10H-1, 126	C	M	T							
10H-CC	B									
11H-CC	B									
12H-CC	B									
13H-2, 50	B									
13H-3, 132	B									
13H-4, 27	B									
13H-CC	T	P								
14H-CC	F	G	T	*						
15H-CC	A	F	M	T						
16H-1, 90	B									
16H-6, 18	B									
16H-6, 80	B									
16H-CC	B									
17H-CC	B									
18H-4, 46	B									
18H-CC	A	G	T							
19H-2, 128	B									
19H-CC	F	M								
20H-1, 40	B									
20H-CC	C	M								
21H-7, 6	C	G	R	T						
21H-CC	C	G	T							
22H-7, 50	F	M	T	T						
22H-CC	C	G	T	T						
23H-CC	F	M	T	T						
24H-CC	F	M	T							
25H-CC	F	M	T							
26H-5, 70	B									
26H-CC	B									
27H-1, 100	B									
27H-CC	R	M	T	T						
28H-CC	B									
29H-CC	B									
30H-6, 40	B									
30H-CC	B									

Notes: Abundance: A = abundant, C = common, F = few, R = rare, T = trace, B = barren. Preservation: G = good, M = moderate, P = poor. RS = resting spore. * = fragment present.