

Table T9. Calcareous nannofossil range chart, Hole C0001F. (See table notes.) (Continued on next page.)

Epoch	Zone	Core, section, interval (cm)	Depth CSF (m)	Abundance	Preservation	<i>Amaurolithus</i> spp.	<i>Braarudosphaera bigelowii</i>	<i>Calcidiscus tropicus</i>	<i>Calcidiscus leptoporus</i>	<i>Calcidiscus macintyreii</i>	<i>Ceratolithus acutus</i>	<i>Ceratolithus cristatus</i>	<i>Ceratolithus cristatus</i> var. <i>telesmus</i>	<i>Coccolithus pelagicus</i> (without bar)	<i>Discoaster brouweri</i>	<i>Discoaster pentaradiatus</i>	<i>Discoaster</i> spp.	<i>Discoaster surculus</i>	<i>Discoaster tamalis</i>	<i>Discoaster triradiatus</i>	<i>Discoaster variabilis</i>	<i>Florisphaera profunda</i>	<i>Gephyrocapsa</i> spp. large (>5.5 µm)	<i>Gephyrocapsa</i> spp. medium (>3.5–4 µm)	<i>Gephyrocapsa</i> spp. medium II (>4–5.5 µm)	<i>Gephyrocapsa</i> spp. small (<3.5 µm)	<i>Helicosphaera carteri</i>	<i>Helicosphaera</i> sp.	<i>Helicosphaera sellii</i>	<i>Helicosphaera wallichii</i>				
Pleistocene	NN19	315-C0001F-																																
		1H-CC, 23.5–28.5	117.50	A	G				C														C	C	A	C	D	C	C					
		2H-CC, 22–27	127.00	C	M				C				F										C	C	A	D	C		F					
		3H-CC, 51–56	131.97	A	G				C														C	C	A	C	A	F	F	R				
		4H-CC, 12.5–17.5	145.95	C	M				C				F										A	A	A	C	A	C			C			
		5H-CC, 0–5	155.48	A	G				C				F												C	D								
		6H-CC, 21–26	161.50	C	G				C														A	A	A	A	A	C		C				
		7H-CC, 71–76	170.98	C	M				C	C	F		F	F									A	A	F	A	A	C		C				
		8H-CC, 45–50	179.75	C	G				C	C	C		C	F	F		F						D				C							
9H-CC, 27.5–32.5	189.24	F–C	M				R	C	C		R				R						A				A									
Pliocene	NN18	10H-CC, 37–42	195.79	R–F	P				C					C	C	F					C					C	C							
		11H-CC, 13–18	200.76	R	G				C					A			C	F								C	C							
		12H-CC, 18–23	202.34	R	M				C	C	C				C	C	F										A	C						
		13H-CC, 20–25	207.16	R	P				C						F	C		C	C								C							
		14H-CC, 0–5	213.27	F	P				C	C						C	A	C	C															
		15H-CC, 29–34	218.89	F	P				F	C	C					C	C	F					A	F			F	F						
		16H-CC, 19.5–24.5	219.64	R	P				C		F					C	C	C		F			C				C							
		17H-CC, 13–18	220.29	C	G–P				R	R	F	R		R			R	R					R	A		R	F	C	F	F				
		18H-CC, 0–1	226.18	C	M				F	C			F	R	F		C	C	F				F	A			C							
		19H-CC, 33–38	229.83	R	P						F			C			C	C	F				A				C							
		20X-CC, 49.5–54.5	239.33	R	P	F	F	C	C				F			C	C	F					C	A			C				F			
21X-CC, 24.5–29.5	248.71	R	P								F			C	A						C	A			C									

Notes: CSF = core depth below seafloor. Abundance: D = dominant, A = abundant, C = common, F = few, R = rare. Preservation: G = good, M = medium, P = poor.



Table T9 (continued).

Epoch	Zone	Core, section, interval (cm)	Depth CSF (m)	Abundance	Preservation	<i>Oolithotus fragilis</i>	<i>Pontosphaera japonica</i>	<i>Pontosphaera multipora</i>	<i>Pseudoemiliania lacunosa</i>	<i>Pseudoemiliania ovata</i>	<i>Reticulofenestra minutula</i>	<i>Reticulofenestra pseudoumbilicus</i> (5–7 µm)	<i>Reticulofenestra pseudoumbilicus</i> (>7 µm)	<i>Reticulofenestra</i> sp.	<i>Reticulofenestra</i> spp.	<i>Rhabdosphaera clavigera</i>	<i>Scapholithus fossilis</i>	<i>Scyphosphaera</i> spp.	<i>Sphenolithus abies</i>	<i>Sphenolithus</i> spp.	<i>Syracosphaera pulchra</i>	<i>Syracosphaera</i> spp.	<i>Umbilicosphaera annulus</i>	<i>Umbilicosphaera foliosa</i>	<i>Umbilicosphaera jafari</i>	<i>Umbilicosphaera rotula</i>	<i>Umbilicosphaera sibogae</i>			
Pleistocene	NN19	315-C0001F-																												
		1H-CC, 23.5–28.5	117.50	A	G			C	C														C	C						
		2H-CC, 22–27	127.00	C	M			C	F	F																				
		3H-CC, 51–56	131.97	A	G				F	C	C												R	F					R	
		4H-CC, 12.5–17.5	145.95	C	M				F	C	C																			
		5H-CC, 0–5	155.48	A	G																									
		6H-CC, 21–26	161.50	C	G		C			C	A	C											C							
		7H-CC, 71–76	170.98	C	M			F		C	A	A														F	F			
		8H-CC, 45–50	179.75	C	G			F		C	C	C											F	C						
		9H-CC, 27.5–32.5	189.24	F–C	M					C	C	C																		
Pliocene	NN18	10H-CC, 37–42	195.79	R–F	P				A	A	C		C	C	C									C						
		11H-CC, 13–18	200.76	R	G				F	A	A	A							F											
		12H-CC, 18–23	202.34	R	M							A																		
		13H-CC, 20–25	207.16	R	P			C		A	C	A	C												C					
		14H-CC, 0–5	213.27	F	P					C	C	A																		
		15H-CC, 29–34	218.89	F	P							C																		
		16H-CC, 19.5–24.5	219.64	R	P							A	C	D	C															
		17H-CC, 13–18	220.29	C	G–P		R		A	A	A	C		F	F			R		F	C									
		18H-CC, 0–1	226.18	C	M							C		A	F	C	C				F						R	F		
		19H-CC, 33–38	229.83	R	P							A	C	A	C	C														
		20X-CC, 49.5–54.5	239.33	R	P							A	C	C	C	C					F				C					
21X-CC, 24.5–29.5	248.71	R	P							A	C	C	C	C																

