Expedition 315 Site C0002, Table T8. Calcareous nannofossil range chart, Hole C0002B. (**See table notes.**)

| Epoch | Zone | Core, section, interval (cm) | Depth CSF (m) | Abundance | Preservation | *Amaurolithus delicatus* | *Amaurolithus primus* | *Calcidiscus tropicus* | *Calcidiscus leptoporus* | *Calcidiscus macintyrei* | *Ceratolithus cristatus* | *Ceratolithus rugosus* | *Coccolithus pelagicus* (with bar) | *Coccolithus pelagicus* (without bar) | *Discoaster altus* | *Discoaster asymmetricus* | *Discoaster bergenii* | *Discoaster berggrenii* | *Discoaster brouweri* | *Discoaster challengeri* | *Discoaster exilis* | *Discoaster kugleri* | *Discoaster loeblichii* | *Discoaster pentaradiatus* | *Discoaster quinqueramus* | *Discoaster* spp. | *Discoaster* spp. (5 arms) | *Discoaster* spp. (6 arms) | *Discoaster surculus* | *Discoaster tamalis* | *Discoaster variabilis* | *Florisphaera profunda* | *Gephyrocapsa* spp. (>5.5 µm) | *Gephyrocapsa* spp. (>3.5–4 µm) | *Gephyrocapsa* spp. (>4–5.5 µm) | *Gephyrocapsa* spp. (<3.5 µm) | *Helicosphaera carteri* | *Helicosphaera hyalina* | *Helicosphaera orientalis* | *Helicosphaera sellii* | *Helicosphaera* sp. | *Helicosphaera wallichii* | *Nicklithus amplificus* | *Oolithotus fragilis* | *Pontosphaera japonica* | *Pontosphaera multipora* | *Pseudoemiliania lacunosa* | *Pseudoemiliania ovata* | *Reticulofenestra haqaii* | *Reticulofenestra minuta* | *Reticulofenestra minutula* | *Reticulofenestra pseudoumbilicus* (5–7 µm) | *Reticulofenestra pseudoumbilicus* (>7 µm) | *Reticulofenestra* spp. | *Rhabdosphaera clavigera* | *Scyphosphaera apsteinii* | *Scyphosphaera* spp. | *Sphenolithus abies* | *Sphenolithus grandis* | *Sphenolithus moriformis* | *Sphenolithus* spp. | *Syracosphaera pulchra* | *Syracosphaera* spp. | *Triquetrorhabdulus rugosus* | *Umbellosphaera irregularis* | *Umbellosphaera tenuis* | *Umbilicosphaera annulus* | *Umbilicosphaera foliosa* | *Umbilicosphaera jafari* | *Umbilicosphaera rotula* | *Umbilicosphaera sibogae* |
|---|---|---