

Expedition 317 Canterbury Basin:

Site: 23R Hole: 2 Core: 825.60 Section: Top Depth:

Major Lithology: Minor Lithology:

| Offset (cm) | Lithology (graphic) Sed. Structures | Colour | Drilling disturb. | Trace F. Bioturb. | Accessories: Mineral, fossils Misc structures Glauconite % | Samples | Core Description, comments, boundary type, other | Logged by: NM | Date: Dec. 8 |
|-------------|-------------------------------------|--------|-------------------|-------------------|--|---------|--|----------------|--------------|
| 0 | | | | | | | micaceous | | |
| 10 | | | dist. | | | | scattered shell fragments (rare) | | |
| 20 | | 10Y | frac into blocks | | | SS | + calcareous | | |
| 30 | | | | (4) | | | 23 - coral | | |
| 40 | | | | | | | 3/32 forams string | | |
| 50 | | | | | | | burrows | | |
| 60 | | | | | | | concreted part | Thalassinoides | |
| 70 | | | block. | | | | sa | Chondrites | |
| 80 | | | | | | | SS: Calcareous Sandy Marlstone | | |
| 90 | | | | | | | | | |
| 100 | | | | | | | | | |
| 110 | | | | | | | | | |
| 120 | | | | | | | | | |
| 130 | | | | | | | | | |
| 140 | | | | | | | | | |
| 150 | | | | | | | | | |

~~23R-1 83 D~~ Smeay
 22R-2 97
 23R-2 26
 23R-CC 12

