

Expedition 317 Canterbury Basin:

Site: U1354 Hole: B Core: 111+ Section: 1 Top Depth: 52.50
 Major Lithology: Minor Lithology:

| Offset (cm) | Lithology (graphic) Sed. Structures | Colour | Drilling disturb. | Trace F. Bioturb. | Accessories: Mineral, fossils Misc structures Glauconite % | Samples | Core Description, comments, boundary type, other | Logged by: Date: |
|---|-------------------------------------|--------------------------------|-------------------|-------------------|--|---------|--|-------------------|
| 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 | | 134 5/1 NS NS | soupy | | | | 0-18 cm homogeneous mud (clay) soupy. including 5mm granule at 17 cm 18-150 cm homogenous mud (silt) shell fragments at 65-69 144-150. clay-rich patches are at 54-99 cm dark gray (N47) mud (silt) patches are at 119-145 cm | GU MP 12/31 |

Expedition 317 Canterbury Basin:

Site: _____ Hole: _____ Core: 114 Section: 5 Top Depth: 76.50
 Major Lithology: _____ Minor Lithology: _____

| Offset (cm) | Lithology (graphic) Sed. Structures | Colour | Drilling disturb. | Trace F. Bioturb. | Accessories: Mineral, fossils Misc structures Glauconite % | Samples | Core Description, comments, boundary type, other | Logged by: Date: |
|-------------|-------------------------------------|----------------|-------------------|-------------------|--|---------|---|------------------|
| 0 | | | | | | | 0-97 cm | |
| 10 | <i>Co</i> | | | | | | homogeneous silty mud | |
| 20 | <i>Co</i> | | | | | | rare + scattered shells | |
| 30 | | 10Y 4/1 | | | | | (gastropods - <i>Stiracolpus</i>) 12, 20, 33, 37, 75 cm | |
| 40 | <i>Co</i> | 10Y | | 3 | | | pockets of clay-rich material | |
| 50 | | | | | | | 5-7 | |
| 60 | | | | | | | 77-72 | |
| 70 | | | | | | | | |
| 80 | <i>Co</i> | | | | | | | |
| 90 | | | | | | | | |
| 100 | X | 77 | | | | | | |
| 110 | | | | | | | | |
| 120 | | | | | | | | |
| 130 | | | | | | | | |
| 140 | | | | | | | | |
| 150 | | | | | | | | |

