

**Expedition 317 Canterbury Basin:**

Site: *U1354* Hole: *B* Core: *1441* Section: *1* Top Depth: *70.5*  
 Major Lithology: ..... Minor Lithology: .....

at (cm)	Lithology (graphic) Sed. Structures	Colour	Drilling disturb.	Trace F. Bioturb.	Accessories: Mineral, fossils Misc structures Glauconite %	Samples	Core Description, comments, boundary type, other	Logged by: Date:
0							<i>0-150 cm</i>	
10							<i>homogeneous silty mud</i>	
20			<i>—</i>				<i>rare + scattered shell frag. (mostly bivalves)</i>	
30			<i>—</i>				<i>(few gastropods)</i>	
40			<i>—</i>				<i>pockets of m.c. shelly sands</i>	
50			<i>—</i>				<i>85-86</i>	
60			<i>—</i>	<i>2</i>			<i>146-147</i>	
70		<i>107</i> <i>4/2</i>					<i>0-30 cm</i>	
80							<i>large (1-2 cm) fragments</i>	
90							<i>o/ Tawera</i>	
100								
110								
120								
130								
140								
150								

Expedition 317 Canterbury Basin:

Site: U1354 Hole: B Core: 1411 Section: 2 Top Depth: 72.0

Major Lithology:

Minor Lithology:






at (cm)	Lithology (graphic) Sed. Structures	Colour	Drilling disturb.	Trace F. Bioturb.	Accessories: Mineral, fossils Misc structures Glauconite %	Samples	Core Description, comments, boundary type, other	Logged by: Date:
0							0-77 cm	
10							homogeneous silty mud	
20							rare + scattered shell frags	
30							mostly brachiopods L 5mm	
40								
50							77-150 cm	
60		104					homogeneous shelly silty mud	
70		112					common + scattered shell frags	
80							mostly brachiopods	
90							L 5mm	
100								
110								
120								
130								
140								
150		140						

**Expedition 317 Canterbury Basin:**

Site: 01354 Hole: B Core: 144 Section: CC Top Depth: 73.39

Major Lithology:.....

Minor Lithology:.....

Depth (cm)	Lithology (graphic) Sed. Structures	Colour	Drilling disturb.	Trace F. Bioturb.	Accessories: Mineral, fossils Misc structures Glauconite %	Samples	Core Description, comments, boundary type, other	Logged by: Date:
0							0-16 cm	
10		NS 					v.f. by muddy sand (mostly v.f.s) common + scattered shell frags mostly bivalves (up 7cm)	
20								
30								
40								
50								
60								
70								
80								
90								
100								
110								
120								
130								
140								
150								