

Table T4. Radiolarian abundance and preservation, Hole U1356A. (See table notes.) (Continued on next two pages.)

Table T4 (continued). (Continued on next page.)



Table T4 (continued).

Core, section, interval (cm)	Abundance	Preservation	Comments
74R*			
75R-CC	B		
76R-CC	R	P	
77R-CC	B		
78R-CC	B		
79R-5, 136–136	B		
79R-CC	B		
80R-CC	B		
81R*			
82R-CC	B		
83R-CC	B		
84R-CC	R	P	
85R-CC	B		
86R-CC	B		
87R-CC	B		
88R-CC	B		
89R-CC	B		
90R-CC	B		
91R-CC	B		
92R-CC	B		
93R-CC	B		
94R-CC	B		
95R-CC	B		
96R-CC	B		
97R-CC	B		
98R-CC	B		
99R-CC	B		
100R-CC	B		
101R-CC	B		
102R-CC	B		
103R-CC	B		
104R-CC	B		
105R-CC	B		
106R-CC	B		

Notes: Abundance: A = abundant, C = common, F = few, R = rare, B = barren. Preservation: G = good, M = medium, P = poor. + = present, ? = uncertainty, cf. = confer, aff. = affinis. * = no radiolarians present. See “[Biostratigraphy](#)” in the “Methods” chapter for abundance and preservation definitions.

