

Table T11. Distribution of planktonic foraminifers, Site U1331. (See table notes.) (Continued on next two pages.)

Core, section, interval (cm)	Depth CSF (m)	Preservation	Abundance (%)	Zone								
320-U1331A-1H-1, 22–24	0.22	B	0	B								
1H-CC	5.14	B	0	B								
2H-2, 89–91	7.59	B	0	B								
2H-4, 49–51	10.19	M	10	O2–O5								
2H-CC	15.02	B	0	B								
3H-CC	24.34	B	0	B								
4H-3, 38–40	27.58	B	0	B								
4H-7, 38–40	33.59	B	0	B								
4H-CC	34.14	B	0	B								
5H-2, 39–41	35.59	B	0	B								
5H-7, 36–38	42.56	B	0	B								
5H-CC	42.97	B	0	B								
6H-6, 38–40	51.08	B	0	B								
6H-7, 50–52	52.20	B	0	B								
6H-CC	52.6	B	0	B								
7H-3, 16–18	55.86	B	0	B								
7H-CC	62.6	B	0	B								
8H-6, 40–42	70.10	B	0	B								
8H-CC	72.17	B	0	B								
9H-6, 28–30	79.48	B	0	B								
9H-CC	81.61	M	<1	E7–E12								
10H-2, 30–32	83.00	M	5	E10–E11								
10H-CC	90.48	M	<1	E7–E13								
11H-3, 50–52	93.38	B	0	B								
11H-CC	99.47	B	0	B								
12H-CC	110.15	B	0	B								
13H-1, 121–123	110.91	B	0	B								
13H-CC	119.58	B	0	B								
14H-2, 38–40	121.05	B	0	B								
14H-CC	129.34	B	0	B								
15H-4, 60–62	133.80	B	0	B								
15H-CC	138.45	B	0	B								
16X-CC	139.57	B	0	B								
17X-3, 22–24	150.82	B	0	B								
17X-CC	156.80	B	0	B								
18X-CC	162.36	B	0	B								
20X-CC	167.02	B	0	B								
21X-CC	No recovery	—	0	—								



Table T11 (continued). (Continued on next page.)

Core, section, interval (cm)	Depth CSF (m)	Zone	Abundance (%)	Precipitation	Tubicolalia punctata					
22X-CC	187.15	M	5	E5	B	R	R	R	R	R
320-U1331B-1H-D, 49-51	7.99	B	0	E13-O6	B	P	P	P	P	P
1H-CC	10.07	P	5		B					
2H-CC	20.11	B	0		B					
3H-CC	29.52	B	0		B					
4H-CC	39.15	B	0		B					
5H-CC	48.08	B	0		B					
6H-CC	58.23	B	0		B					
7H-CC	67.19	B	0		B					
8H-CC	77.17	B	0		B					
9H-CC	86.63	B	0		B					
10H-CC	96.12	B	0		B					
11H-CC	105.68	B	0		B					
12H-CC	115.00	B	0		B					
13H-CC	124.39	B	0		B					
14H-CC	134.01	B	0		B					
15H-CC	143.60	B	0		B					
16H-CC	152.48	B	0		B					
17H-CC	156.86	B	0		B					
320-U1331C-1H-CC	9.44	B	0		B					
2H-CC	19.50	B	0		B					
3H-CC	28.73	B	0		B					
4H-CC	38.47	B	0		B					
5D	No recovery	—	0		—					
6H-CC	68.52	B	0		B					
7D	No recovery	—	0		—					
8H-CC	101.69	B	0		B					
9D	No recovery	—	0		—					
10H-CC	110.91	B	0		B					
11D	No recovery	—	0		—					
12H-CC	139.03	B	0		B					
13H-CC	148.57	B	0		B					
14H-CC	156.85	B	0		B					
15D	No recovery	—	0		—					
16H-CC	185.32	B	0		B					
17H-3, 70-77	187.70	M	90		E5	R	A	P		F
17H-3, 77-84	187.77	M	90		E5					R



Table T11 (continued).

Core, section, interval (cm)	Depth CSF (m)	Zone																
17H-3, 84–91	187.84	E5	M	90														
17H-3, 91–98	187.91	E5	M	90														
17H-3, 98–105	187.98	E5	M	70														
17H-CC	189.48	E4/E5	P	F	R	F	R	F	R	F	A	F	R	F	F	R	F	
			Preservation		Abundance (%)													

Notes: Preservation: M = moderate, P = poor, B = barren. Abundance: D = dominant, A = abundant, F = few, P = present, R = rare.

