

Table T10. Distribution of benthic foraminifers, Site U1332. (See table notes.) (Continued on next two pages.)

Core, section, interval (cm)	Depth CSF (m)	Preservation	Bathymetry	<i>Abyssamina poagi</i>	<i>Abyssamina quadrata</i>	<i>Alabamina dissonata</i>	<i>Amphicoryna</i> sp.	<i>Anomalinoidea</i> sp.	<i>Astacolus</i> sp.	<i>Astronion echolsi</i>	<i>Bigeniera</i> sp.	<i>Bulimina parvula</i>	<i>Chrysalogonium crassitestum</i>	<i>Chrysalogonium</i> sp. indet.	<i>Cibicides eocanus</i>	<i>Cibicides grimsdalei</i>	<i>Cibicides havanensis</i>	<i>Cibicides mundulus</i>	<i>Cibicides praemundulus</i>	<i>Cibicides</i> sp. A	<i>Cibicides</i> sp. indet.	<i>Cyrtammina pauciloculata</i>	<i>Dentalina</i> spp.	<i>Eggerella bradyi</i>	<i>Eggerella</i> sp.	<i>Favocassidulina spinifer</i>	<i>Caudryna</i> sp. indet.	<i>Glandulina</i> sp.	<i>Globocassidulina subglobosa</i>	<i>Globocassidulina</i> sp.	<i>Glomospira goldialis</i>	<i>Glomospira irregularis</i>	<i>Gyroidinoidea soldanii</i>					
320-U1332A-																																						
1H-CC, 12-17	3.86	—																																				
2H-CC, 19-24	13.62	—																																				
3H-CC, 29-34	23.51	M	LB-A									R			R	R	R										R				A			R	R			
4H-CC, 26-31	32.95	G	LB-A				R				R																				F			R	R			
5H-CC, 20-25	42.47	VG	LB-A										R		R	R				F	F																	
6H-CC, 27-32	51.97	VG	LB-A				R	R	R								F	F		R	R	F	R	R							R	R						
7H-CC, 21-26	61.49	G	LB-A					R							R		A			R	R													F	A			
8H-CC, 28-33	71.00	M	LB-A																							F												
9H-CC, 145-150	81.67	P																																				
10H-CC, 32-37	89.89	P																																				
11H-CC, 27-32	98.52	P																																				
12H-CC, 21-26	108.45	—																																				
13H-CC, 20-25	118.38	P	LB-A	R											F						R										R		R					
14H-CC, 25-30	126.28	P		—											P						—																	
15X-CC, 13-18	132.93	P																																				
320-U1332B-																																						
1H-CC, 15-20	2.05	P																																				
2H-CC, 35-40	12.09	—																																				
3H-CC, 38-43	19.97	G	LB-A																																			
4H-CC, 23-28	29.61	G	LB-A																																			
5H-CC, 21-26	37.63	G	LB-A						R					F	R																							
6H-CC, 9-14	48.50	G	LB-A					R																														
7H-CC, 23-26	58.07	G	LB-A					R																														
8H-CC, 33-36	67.47	G	LB-A																																			
9H-CC, 33-36	77.09	P																																				
10H-CC, 21-24	86.66	P																																				
11H-CC, 24-27	93.84	P		P																																		
12H-CC, 32-35	101.03	P																																				
13H-CC, 31-36	110.76	P	LB-A																																			
14H-CC, 16-21	119.78	P		P																																		
15X-CC, 37-42	125.77	P																																				
16X-CC, 29-34	125.34	P																																				
17X-CC, 38-43	135.06	—																																				
320-U1332C-																																						
1H-CC, 19-22	7.46	—																																				
2H-CC, 14-17	17.45	P																																				
3H-CC, 18-21	26.93	P																																				
4H-CC, 28-31	36.52	G	LB-A																																			
6H-CC, 22-25	45.76	G	LB-A																																			
8H-CC, 22-25	53.04	G	LB-A																																			
7H-CC, 17-20	59.43	G	LB-A																																			
8H-CC, 32-35	68.27	G	LB-A																																			
9H-CC, 32-37	75.91	G	LB-A				R	F		R																												
10H-CC, 29-34	85.53	P																																				
11H-CC, 31-36	94.05	P																																				
12H-CC, 7-12	103.21	P																																				
13H-CC, 31-36	114.08	P	LB-A		F			F																														
14H-CC, 0-3	119.69	P	LB-A																																			
15X-CC, 0-5	127.38	P	LB-A		P	P																																
16X-CC, 23-26	134.64	P																																				
17X-CC, 8-11	139.91	—																																				

Notes: — = presence of specimens found during other observations (other size fractions or planktonic foraminifer analysis). Preservation: VG = very good, G = good, M = moderate, P = poor. LB = lower bathyal zone, A = abyssal zone. Abundance: D = dominant, A = abundant, F = frequent, R = rare, P = present.

Table T10 (continued).

Core, section, interval (cm)	Depth CSF (m)	<i>Siphonodosaria antillea</i>	<i>Siphonodosaria spinata</i>	<i>Siphonodosaria</i> sp. indet.	<i>Spheroidina bulloides</i>	<i>Spiroplectamina spectabilis</i>	<i>Textularia</i> sp.	<i>Trochamminoides?</i> sp.	<i>Valvulina spinosa</i>	Tube-shaped agglutinated foraminifer	Unilocular species	Agglutinated foram. gen. et sp. indet.	Calc. hyaline foram. gen. et sp. indet.
320-U1332A-													
1H-CC, 12-17	3.86												
2H-CC, 19-24	13.62												
3H-CC, 29-34	23.51	R	R	A	R		R			R	R	R	
4H-CC, 26-31	32.95			F	R	R		R	R		R	R	
5H-CC, 20-25	42.47	R		R	R	R	R	R	R	R		F	
6H-CC, 27-32	51.97	R	R		R	R			R	R			
7H-CC, 21-26	61.49	R	R	R	F	R		R		R		F	
8H-CC, 28-33	71.00			A					F				
9H-CC, 145-150	81.67								—			P	
10H-CC, 32-37	89.89					—			P				
11H-CC, 27-32	98.52	P				P			P				
12H-CC, 21-26	108.45												
13H-CC, 20-25	118.38	R						R		F			
14H-CC, 25-30	126.28												
15X-CC, 13-18	132.93												
320-U1332B-													
1H-CC, 15-20	2.05												
2H-CC, 35-40	12.09												
3H-CC, 38-43	19.97						R		D	R	A	F	
4H-CC, 23-28	29.61				R						F	F	
5H-CC, 21-26	37.63	F		F	R	R		R	R	R		R	
6H-CC, 9-14	48.50		R	F	F	R		R	R	F	R	F	
7H-CC, 23-26	58.07	F		R	F						R	F	
8H-CC, 33-36	67.47			F				R	A			R	
9H-CC, 33-36	77.09										P		
10H-CC, 21-24	86.66					P			P				
11H-CC, 24-27	93.84												
12H-CC, 32-35	101.03								P				
13H-CC, 31-36	110.76	F										A	
14H-CC, 16-21	119.78	P											
15X-CC, 37-42	125.77												
16X-CC, 29-34	125.34												P
17X-CC, 38-43	135.06												
320-U1332C-													
1H-CC, 19-22	7.46												
2H-CC, 14-17	17.45								P				
3H-CC, 18-21	26.93					R			F	R		A	
4H-CC, 28-31	36.52	F	R	R					A		R	F	
6H-CC, 22-25	45.76	R	R	R	F				A	R		A	
8H-CC, 22-25	53.04	R	R	R		R			R	R		R	
7H-CC, 17-20	59.43	R	R	R	R						F	R	R
8H-CC, 32-35	68.27	R		R	R	R					R	R	F
9H-CC, 32-37	75.91	P		R	P	P	R	P	P	R		F	
10H-CC, 29-34	85.53								P			P	
11H-CC, 31-36	94.05												
12H-CC, 7-12	103.21								P				
13H-CC, 31-36	114.08	F											
14H-CC, 0-3	119.69	R											
15X-CC, 0-5	127.38								P				
16X-CC, 23-26	134.64												P
17X-CC, 8-11	139.91												