



Table T7. Benthic foraminifer range chart, Hole U1341C. (See table notes.)

Core, section	Abundance	Preservation	<i>Alabaminella weddellensis</i>	<i>Bolivina</i> sp.	<i>Brizalina earlandi</i>	<i>Brizalina pygmaea</i>	<i>Bulimina aff. exilis</i>	<i>Bulimina</i> sp.	<i>Cancriis cf. philippinensis</i>	<i>Cassidulina</i> sp.	<i>Cibicides</i> sp.	<i>Cribrarostornoides subglobosus</i>	<i>Eggerella bradyi</i>	<i>Elphidium cf. batialis</i>	<i>Epistominella pulchella</i>	<i>Epistominella</i> sp.	<i>Fissurina</i> sp.	<i>Glandulina</i> sp.	<i>Globobulimina auriculata</i>	<i>Globobulimina pacifica</i>	<i>Globocassidulina</i> sp.	<i>Gyrogoninoides soldanii</i>	<i>Islandiella norcrossi</i>	<i>Lagena</i> sp.	<i>Lenticulina</i> sp.	<i>Martinottiella communis</i>	<i>Melonis barleeaanum</i>	<i>Neugeborina longiscata</i>	<i>Nodosaria aff. pyrula</i>	<i>Neugeborina labradorica</i>	<i>Nodosaria</i> sp.	<i>Nonionella turgida</i>	<i>Nonionella turgida digitata</i>	<i>Oridorsalis umbonatus</i>	<i>Planulina wuellerstorfi</i>	<i>Procerolagena cf. gracillima</i>	<i>Pullenia bulloides</i>	<i>Pullenia</i> sp.	<i>Pyrgo</i> sp.	<i>Rhabdammina</i> sp.	<i>Sphaeroidina bulloides</i>	<i>Stainforthia aff. fusiformis</i>	<i>Triloculina cf. trihedra</i>	<i>Triloculina</i> sp.	<i>Uvigerina auberiana</i>	<i>Uvigerina cf. peregrina</i>	<i>Valvulinera</i> sp.	Siliciclastics	Other observations					
323-U1341C-Mudline	D	VG	F	P				D				R				R			F																																	A	Rare sponge spicules	
1H-CC	A	VG		P				F		P									P					P																													A	Rare sponge spicules
2H-CC	A	G													F				F	R																																	A	Rare sponge spicules
3H-CC	A	G			P			P					A					P	R	F																																A	Rare sponge spicules	
4H-CC	F	G			R			R	R		R		F	R					R	R	R																															A	Rare sponge spicules	
5H-CC	R	G						P						R					R																																		D	Rare sponge spicules
6H-CC	F	M													P						F																																D	Rare sponge spicules
7H-CC	F	G						F		P									F	R																																	D	Rare sponge spicules
8H-CC	F	G			P		P	P					A						R	R	F																															D	Rare sponge spicules	
9H-CC	R	G						R					R	P	P				P	P	P																															A	Rare sponge spicules	
10H-CC	D	G		F				D	P	P			A						R	R	P																															F	Rare sponge spicules	
11H-CC	F	G		P				F		P			F						R	P	R																																D	Rare sponge spicules
12H-CC	R	G													R				R	P	R																																D	Rare sponge spicules
13H-CC	D	G		R						P			P	P	R				P	R	P																															D	Rare sponge spicules	
14H-CC	R	G											P	R	R				P	P																																	D	Rare sponge spicules
15H-CC	R	M							P				P	R	R				P	P																																D	Rare sponge spicules	
16H-CC	R	M						R						R	R				P	P																																	D	Rare sponge spicules
17H-CC	F	M											P	F	P				F	P																																A	Rare sponge spicules	
18H-CC	F	M												P	P				R	R	P																															A	Rare sponge spicules	
19H-CC	R	P												P	P				R	R	P																																D	Few sponge spicules
20H-CC	P	P												P	P				F	P																																	D	Few sponge spicules
21H-CC	F	P	P											R	P				F	P																																D	Rare sponge spicules, wood	
23H-CC	A	G								P			R		P				R	F																																A	Rare sponge spicules	
24H-CC	F	P									R			P	P				R	P																																	D	Yellow degraded planktonic foraminifers
25H-CC	B																																																				D	Clumped spicules, wood
26H-CC	R	M																																																			A	Clumped spicules, wood
27H-CC	R	G																	P																																		A	Clumped spicules

Notes: Abundance: D = dominant, A = abundant, F = few, R = rare, P = present, B = barren. Preservation: VG = very good, G = good, M = moderate, P = poor.