

Drilling disturb.	Color	Grain-size		Sed. / struct. / contact	Bioturb.	Samples	Comments	Logged by: JK	Date:
		Avg.	Max.						
-- 0 --		CLAY	M SAND forams		Mode 4		Down to the bottom of sect. 5 Major - 60% relatively dark 10GY 6/1 greenish gray, NANNO Ooze Typical MADDY Minor - 40% relatively light 5GY 7/1 light greenish gray NANNO Ooze MUD w/ slight color changes due to B.T. (mat. fig) - Gradational bottom contact - Thick Bedded layering - Greenish gray color band - Scatter PY grains - PY - burrows - Foram visible - Mottling - Zoophycos & some chondrites-like trace fossils		
-- 10 --	slightly disturbed	↓	↓						
	Major								
-- 20 --									
-- 30 --									
-- 40 --									
-- 50 --									
-- 60 --									
-- 70 --	5GY 6/1 gray				4				
-- 80 --									
-- 90 --									
-- 100 --									
-- 110 --									
-- 120 --									
-- 130 --	124 Minor 5GY 7/1			P.B					
				P.B	4				
-- 140 --									
-- 150 --									

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
-- 0 --		Minor				4		As above	JF	
-- 10 --										
-- 20 --										
-- 30 --		5G 7/1								
-- 40 --										
-- 50 --					P.B.					
-- 60 --										
-- 70 --						4				
-- 80 --		75 Major								
-- 90 --										
-- 100 --										
-- 110 --										
-- 120 --		121 Minor			Chondrites-like TF 121-132					
-- 130 --						4				
-- 140 --										
-- 150 --										

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Expedition 339: Mediterranean Outflow

11385E 11H3A

24

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: JK	Date:	
			Avg.	Max.							
-- 0 --		Minor						As Above			
-- 10 --		10									
-- 20 --		Major 5G 6/1									
-- 30 --											
-- 40 --											
-- 50 --											
-- 60 --		5G/1 Greenish gray - color band									
-- 70 --		5G 6/1))))))						
-- 80 --											
-- 90 --		89									
-- 100 --		Minor 5G 7/1									
-- 110 --											
-- 120 --											
-- 130 --											
-- 140 --											
-- 150 --		14b Major									

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. / struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
-- 0 --		Major				A		AS ABOVE	JF	
-- 10 --										
-- 20 --		7/1								
-- 30 --										
-- 40 --		Minor								
-- 50 --		5G7 7/1								
-- 60 --						A				
-- 70 --										
-- 80 --										
-- 90 --										
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --						A				
-- 140 --										
-- 150 --		144 D/P								



MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: JK	Date:
		Avg.	Max.						
-- 0 --	Major	CLAY	M. SAND forams	Chondrite -like			AS ABOVE		
-- 10 --		↓	↓						
-- 20 --	10G1 6/1								
-- 30 --				17-44 Mega Burrow					
-- 40 --									
-- 50 --									
-- 60 --									
-- 70 --									
-- 80 --									
-- 90 --	10G 10G 84-89 Greenish gray color band (10G 6/1)								
-- 100 --									
-- 110 --	10G1 5/1								
-- 120 --									
-- 130 --									
-- 140 --									
-- 150 --				Gradational contact			↓ END OF LITHOLOGY		

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
-- 0 --		CLAY	M. SAND				Major 100% to the bottom of CC	JK	
		↓	Forem ↓		U		5GY 6/1 Greenish gray MUDDY NANNO COZE w/ slight color change due to B.T.		
-- 10 --		ALL	ALL				- slightly more abundant forams (fine-med sand size)		
	5GY 6/1						- Py-burrows		
-- 20 --							- Scattered Py grains		
							- Some greenishgray color bands		
-- 30 --									
-- 40 --	39 40 Greenish Gray color band								
-- 50 --									
-- 60 --									
-- 70 --									
-- 80 --									
-- 90 --									
-- 100 --					U				
-- 110 --									
-- 120 --									
-- 130 --									
-- 140 --									
-- 150 --									

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: JK	Date:
			Avg.	Max.						
-- 0 --										
-- 10 --										
-- 20 --		5G 6/2								
-- 30 --										
-- 40 --										
-- 50 --										
-- 60 --										
-- 70 --										
-- 80 --										
-- 90 --										
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --										
-- 140 --										
-- 150 --										

Core Summary

MUDDY NANNOFOSSIL OOZE
NANNO OOZE w MUD

- Top to bottom of Sect 5, Interbedding of
 - 1) Thick bedded greenish gray MUDDY N.O.
 - 2) " light greenish gray N.O. w/ MUD w/ slight color changes (mottling) due to B.T. gradational bottom contact
 - Top of Sect 6 to Bottom CC, Greenish gray MUDDY N.O. w/ slight color changes due to B.T. slightly more abundant forams
-
- Contacts - Gradational / bioturbated
 - Slight - moderate B.T.
 - Py-burrows
 - forams abundant below (Sect 6)
 - Scatter Py grains
 - Zoophycos & chondrite-like T.F.
 - Some greenish gray color bands (diagenetic redox change?)

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Expedition 339: Mediterranean Outflow

V1385E11HCC

453
#



Drilling disturb.	Color	Grain-size		Sed. / struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
-- 0 --					W			JK	
-- 10 --									
-- 20 --									
-- 30 --					W				
-- 40 --									
-- 50 --									
-- 60 --									
-- 70 --									
-- 80 --									
-- 90 --									
-- 100 --									
-- 110 --									
-- 120 --									
-- 130 --									
-- 140 --									
-- 150 --									

MAJOR LITHOLOGY:

MINOR LITHOLOGY: