

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.					ED	02/12/11
-- 0 --								① NANNO NUB		
-- 10 --								as above		
-- 20 --								shell frags		
-- 30 --										
-- 40 --										
-- 50 --										
-- 60 --										
-- 70 --										
-- 80 --										
-- 90 --										
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --										
-- 140 --										
-- 150 --										

BISCUIT

-129) sandy layer with pyrite
 -130) (discontinuous)

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Expedition 339: Mediterranean Outflow

086A

24X2A

5

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: ED	Date: 02/12/11
		Avg.	Max.						
-- 0 --							(1) NANNO FUD As above		
-- 10 --									
-- 20 --									
-- 30 --									
-- 40 --									
-- 50 --									
-- 60 --									
-- 70 --									
-- 80 --									
-- 90 --									
-- 100 --									
-- 110 --									
-- 120 --									
-- 130 --									
-- 140 --									
-- 150 --									

BISCUIT

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: ED	Date: 02/14/11
			Avg.	Max.						
-- 0 --										
-- 10 --								① NANNO TUD		
-- 20 --								As above		
-- 30 --								Some shell frags		
-- 40 --										
-- 50 --										
-- 60 --										
-- 70 --										
-- 80 --										
-- 90 --										
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --										
-- 140 --										
-- 150 --										

BISCUIT

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: ED	Date: 02/12/11
		Avg.	Max.						
-- 0 --							① NANNO MUD		
-- 10 --							As above		
-- 20 --							shell frags		
-- 30 --									
-- 40 --									
-- 50 --									
-- 60 --									
-- 70 --									
-- 80 --	BISCUIT								
-- 90 --						-92 SS	Nanno Mud		
-- 100 --									
-- 110 --									
-- 120 --									
-- 130 --							many chondite-like burrows		
-- 140 --							sediment slightly darker toward the base (although it is the same color index)		
-- 150 --									

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: ED	Date: 02/12/11
		Avg.	Max.						
-- 0 --									
-- 10 --							① NANNO MUD As above		
-- 20 --									
-- 30 --									
-- 40 --									
-- 50 --									
-- 60 --									
-- 70 --									
-- 80 --				grad. contact					
-- 90 --				grad. contact					
-- 100 --									
-- 110 --									
-- 120 --									
-- 130 --									
-- 140 --									
-- 150 --									

BISCUIT
SLIGHTLY

75)
80) NANNO MUD with more silt

IW

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

UNIVERSITY OF
MICHIGAN

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.					ED	02/12/11
-- 0 --							① NANNO AND As above		
-- 10 --							9 coarser layer 11		
-- 20 --									
-- 30 --									
-- 40 --									
-- 50 --									
-- 60 --									
-- 70 --									
-- 80 --									
-- 90 --									
-- 100 --									
-- 110 --									
-- 120 --									
-- 130 --									
-- 140 --									
-- 150 --									

BISCUIT
SLIGHTLY

MAJOR LITHOLOGY:

MINOR LITHOLOGY:



Drilling disturb.	Color	Grain-size		Sed. / struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.					ED	02/12/11
-- 0 --							(2) CALC. SILTY MUD		
-- 10 --									
-- 20 --									
-- 30 --									
-- 40 --									
-- 50 --									
-- 60 --									
-- 70 --									
-- 80 --									
-- 90 --									
-- 100 --									
-- 110 --									
-- 120 --									
-- 130 --									
-- 140 --									
-- 150 --									

MAJOR LITHOLOGY:

MINOR LITHOLOGY: