





Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
	GLY 1 10Y 4/1						Type 1: Nanno mud	NN	5/Dec/2011
							Densified (compacted) throughout this core		
							Shell fragments		
							54 shell fragments		
							Foram rich		
	Biscuits								

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
-- 0 --									MN	5/Dec/2011
								Type 1 = Nano mud (continued from 1A)		
								Relatively coarse part. with rich foam		
-- 10 --										
-- 20 --										
								23 Py burrow? with forams (deformed)		
								28 shell fragments 		
-- 30 --										
-- 40 --										
								51 Foram (filling barrow) 		
-- 50 --										
-- 60 --										
								67 Shell fragments		
-- 70 --										
-- 80 --										
	Biscuits									
-- 90 --										
-- 100 --										
								Biscuits intensity is heavy		
-- 110 --										
-- 120 --										
-- 130 --										
-- 140 --										
-- 150 --										

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

U1386B

42X 3A

1/05

Expedition 339: Mediterranean Outflow



	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
-- 0 --									NN	5/Dec/01
-- 10 --								Type 1: Nanno mud continued from 2A		
-- 20 --										
-- 30 --										
-- 40 --										
-- 50 --										
-- 60 --										
-- 70 --										
-- 80 --										
-- 90 --										
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --										
-- 140 --										
-- 150 --										

biscuits

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.					NU	5/Dec/2011
-- 0 --							Type 1: Nanno mud		Continued from 3A
-- 10 --									
-- 20 --									
-- 30 --									
-- 40 --									
-- 50 --									
-- 60 --									
-- 70 --									
-- 80 --									
-- 90 --									
-- 100 --									
-- 110 --									
-- 120 --									
-- 130 --									
-- 140 --									
-- 150 --									



Biscuits

172 SS Biogenic mud (calcareous + siliceous) nanno diatoms & picules

99 foram patch

101 foram patch

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

U1386 B

42X 5A

107

Expedition 339: Mediterranean Outflow


Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
-- 0 --							Type 1: Nannomud continued from 4A	NN	5/Dec/2011
-- 10 --									
-- 20 --									
-- 30 --									
-- 40 --							- Foram patch		
-- 50 --									
-- 60 --									
-- 70 --									
-- 80 --									
-- 90 --									
-- 100 --									
-- 110 --									
-- 120 --									
-- 130 --									
-- 140 --									
-- 150 --									

Biscuits

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Expedition 339: Mediterranean Outflow

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
-- 0 --								Type 1: Nanno mud continued from SA	NN	5/Dec/201
-- 10 --								4 Py burrow		
-- 20 --								20 Py burrow 		
-- 30 --								32 Foram patch		
-- 40 --										
-- 50 --										
-- 60 --								57 Shell fragments		
-- 70 --										
-- 80 --										
-- 90 --								90 Foram patch		
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --										
-- 140 --								137-138cm 22% CaCO ₃		
-- 150 --										



Biscuits

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Expedition 339: Mediterranean Outflow

339-048-027A
10/2/2011
10:34:00

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
-- 0 --									NN	5/Dec/2011
								Type I: Nanno mud (continued from (GA))		
-- 10 --										
-- 20 --								18 } shell fragments 23 }		
-- 30 --										
-- 40 --										
-- 50 --										
-- 60 --								57.5 Foram patch		
								} Biscuits intensity is heavy		
-- 70 --										
								75 shell fragments		
77.5										
-- 80 --								Void		
82										
-- 90 --										
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --										
-- 140 --										
-- 150 --										

VOID

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Expedition 339: Mediterranean Outflow

UNIVERSITY OF CALIFORNIA



Depth	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
0									NN	5/20/11
10								Typal: Nanno mud continued from 7A		
20										
22								Shell fragments		
29										
30										
35	Biscuits									
40										
43.5										
48										
50								Paleo-sampling		
60										
70										
80										
90										
100										
110										
120										
130										
140										
150										

MAJOR LITHOLOGY:

MINOR LITHOLOGY: