

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: masu	Date: 10/DEC/2011
		Avg.	Max.						
--0--									
--10--	7 10Y4/1	clay	M.S.	massive Bio.C	3		crack		SILTY MUD (type 2)
--20--									MUD (type 1)
--30--					3		28		sand-filled burrow ϕ 2cm
--40--							39		sand-filled burrow ϕ 2cm
--50--		clay	M.S.	massive					
--60--									
--70--							69		cold coral fragment L=1cm 339 U1387A27X1A 69-69 Cold Coral Branch
--80--									
--90--									
--100--									
--110--									
--120--		clay	M.S.	normal grading Grad.C	3				SILTY MUD (type 2)
--130--		Very Fine Sand	M.S.	massive	3				SILTY SAND (type 2)
--140--							140		Sandy silt w/ biogenic Carbonate
--150--		clay	M.S.	inverse grading	3				SILTY MUD (type 2)

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
	10Y4/1	Clay	M. S.	grad. c.			Selected MUD (type 1)	MASM	10/28/2011
				massive	3				
				grad. c.			50		
		Clay	M. S.				Silty MUD (type 2)		
				massive					
				grad. c.			76		
Biscuit		Clay	M. S.				MUD (type 1)		
				massive					

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: Satoshi MASU	Date: 10/DEC/2011
		Avg.	Max.						
-- 0 --							SAA		
-- 10 --									
-- 20 --									
-- 30 --							26cm shell fragments		
-- 40 --							31cm Py burrow		
-- 50 --							36cm scaecian fragments?		
-- 60 --							48cm Py burrow		
-- 70 --									
-- 80 --							58cm forampatch (1cm)		
-- 90 --									
-- 100 --									
-- 110 --							88cm Py burrow		
-- 120 --							91cm Py burrow		
-- 130 --									
-- 140 --									
-- 150 --							111cm Py burrow shell fragments (~ 2cm)		
							127cm Py burrow		

Biscuit

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: satoshi masu	Date: 10/DEC/2011
		Avg.	Max.						
-- 0 --							SAA		
-- 10 --									
-- 20 --									
-- 30 --									
-- 40 --									
-- 50 --							44cm Py burrow		
-- 60 --									
-- 70 --							no SS	Nanno fossil mud	
-- 80 --	Biscuit						178cm Py burrow		
-- 90 --							90cm foram Patch (1mm)		
-- 100 --									
-- 110 --									
-- 120 --									
-- 130 --									
-- 140 --									
-- 150 --							Py burrow		

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: Satoshi MPSU	Date: 10/DEC/2011
			Avg.	Max.						
-- 0 --								S11A		
-- 10 --								12cm P ₁ burrow		
-- 20 --								21cm forampatch (1mm)		
-- 30 --								33cm forampatch (1mm)		
-- 40 --										
-- 50 --										
-- 60 --								66cm forampatch (1mm)		
-- 70 --										
-- 80 --	Biscuit									
-- 90 --								90cm. shell fragments (~ 1mm)		
-- 100 --										
-- 110 --								112cm. shell fragments (~ 1mm)		
-- 120 --										
-- 130 --										
-- 140 --								142cm. shell fragments		
-- 150 --										

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Depth	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: Satoshi YDSM	Date: 10/DEC/2011
			Avg.	Max.						
-- 0 --								~ 5cm Py burrow		
-- 10 --								- 10.5 cm Py burrow (shell fragments filled) - 13cm Py burrow		
-- 20 --										
-- 30 --										
-- 40 --								- 39cm foram patch (1mm)		
-- 50 --	Biscuit							- 54cm foram patch (2mm)		
-- 60 --								- 58cm shell fragments (~1mm)		
-- 70 --								- 68cm shell fragment (1mm)		
-- 80 --								- 76-78cm clacking - 78cm foram patches (~3mm)		
-- 90 -- 93cm					gradational contact					
-- 100 --	Biscuit	10Y 4/1	silt.	msand	massive	BI 2	93-94	= silty mud (type 2) 22.2%		
-- 110 --										
-- 120 --										
-- 130 --										
-- 140 --										
-- 150 --										

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

28 JUL 1978 07:17A
716 150501
10m water depth



Depth (cm)	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: Saijoshi MPSU	Date: 10/DEC/01
			Avg.	Max.						
-- 0 --								SIA		
-- 10 --								dispersed shell fragments (~2mm)		
-- 20 --										
-- 30 --										
-- 40 --										
-- 50 --										
55cm		10Y 4/1	silt	m. sand	gradational contact massive		BI 2	33) clacking. 36) clacking. 39cm shell fragment (3mm) 41cm shell fragment (4mm) 45cm forampatch (1mm) 48cm forampatch (1mm) Sandy silt (type 2: same as above)		
-- 60 --										
-- 70 --										
-- 80 --										
-- 90 --										
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --										
-- 140 --										
-- 150 --										

Biscuit

gradational contact

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: Satoshi Masu	Date: 10/FEC/2011
			Avg.	Max.						
-- 0 --								SAA-type 2		
-- 10 --								11cm - foram patch (1mm) 14cm - dispersed shell fragments (N/mm)		
-- 20 --		Biscuit.						- 18cm foram patch (0.5mm) - 19cm foram patch (0.5mm) - 20cm foram patch (1mm)		
-- 30 --										
33										
PAL										
38										
-- 40 --										
-- 50 --										
-- 60 --										
-- 70 --										
-- 80 --										
-- 90 --										
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --										
-- 140 --										
-- 150 --										



MAJOR LITHOLOGY:

MINOR LITHOLOGY: