

| | Drilling disturb. | Color | Grain-size | | Sed. struct. / contact | Bioturb. | Samples | Comments | Logged by: NN | Date: 11/Dec/01 |
|-----------|-------------------|----------------|------------|---------------------|-------------------------------|------------------|---------|-------------------|------------------|--------------------|
| | | | Avg. | Max. | | | | | | |
| -- 0 -- | | GREY (10Y4) | Silt | Medium sand (fa-am) | Massive? due to biscuits ↑ | Bis: 2 ? ↑ | | Type 2: Silty mud | | |
| -- 10 -- | | | | | (Mottled) | | | | | |
| -- 20 -- | | | | | | | | | | |
| -- 30 -- | | | | | | | | | | |
| -- 40 -- | | | | | | | | | | |
| -- 50 -- | | | | | | | | | | |
| -- 60 -- | | | | | | | | | | |
| -- 70 -- | | | | | | | | | | |
| -- 80 -- | | | | | | | | | | |
| -- 90 -- | | | | | | | | | | |
| -- 100 -- | | | | | | | | | | |
| -- 110 -- | | | | | | | | | | |
| -- 120 -- | | | | | | | | | | |
| -- 130 -- | | | | | | | | | | |
| -- 140 -- | | | | | | | | | | |
| -- 150 -- | | | | | | | | | | |

biscuits

30 shell fractions

54
55] shell fractions

58
59] shell fractions


78 shell fractions

91
99
107
115
↓
118

Shell fractions

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

| | Drilling disturb. | Color | Grain-size | | Sed. struct. / contact | Bioturb. | Samples | Comments | Logged by: | Date: |
|-----------|--|-------|------------|------|------------------------|----------|--|----------|-------------|-------|
| | | | Avg. | Max. | | | | | | |
| -- 0 -- |  | | | | | | | NN | 11/Dec/2011 | |
| -- 10 -- | | | | | | | Type 2: Silty mud (continued from (A)) | | | |
| -- 20 -- | | | | | | | Shell fractions are dispersed. | | | |
| -- 30 -- | | | | | | | { (throughout this section) | | | |
| -- 40 -- | | | | | | | ↓ | | | |
| -- 50 -- | | | | | | | 46SS | | | |
| -- 60 -- | | | | | | | 46 cm: Silty mud with biogenic carbonate | | | |
| -- 70 -- | | | | | | | | | | |
| -- 80 -- | | | | | | | | | | |
| -- 90 -- | | | | | | | | | | |
| -- 100 -- | | | | | | | | | | |
| -- 110 -- | | | | | | | | | | |
| -- 120 -- | | | | | | | | | | |
| -- 130 -- | | | | | | | | | | |
| -- 140 -- | | | | | | | | | | |
| -- 150 -- | | | | | | | | | | |

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

| Depth | Drilling disturb. | Color | Grain-size | | Sed. struct. / contact | Bioturb. | Samples | Comments | Logged by: | Date: |
|-------|-------------------|-------------|------------|------|------------------------|----------|--|----------|-------------|-------|
| | | | Avg. | Max. | | | | | | |
| 0 | | | | | | | | NN | 11/Dec/2011 | |
| 5 | | | | | | | Type 1: Mud continued from 3A | | | |
| 10 | | | | | | | Shell fractions | | | |
| 19 | | | | | | | | | | |
| 53 | | | | | | | VOID | | | |
| 55 | | | | | | | | | | |
| 58 | | | | | | | Foram patch | | | |
| 70 | | | | | | | 70 cm: <i>Nanno mud</i> | | | |
| 76 | | | | | | | Condensed shell fractions (in burrow?) | | | |
| 82 | | | | | | | Shell fragment | | | |
| 96 | | | | | | | shell fractions | | | |
| 110 | | | | | Sharp Contact | | Type 2: Silty Mud | | | |
| 110 | | GLY1 10Y4/1 | Silt | Silt | Massive? (Mottled) | BI-2 | Shell fractions | | | |
| 121 | | | | | | | to the bottom of this section | | | |
| 132 | | | | | | | burrows | | | |
| 134 | | | | | | | | | | |
| 150 | | | | | | | | | | |

Biscuits

SS

| | Drilling disturb. | Color | Grain-size | | Sed. struct. / contact | Bioturb. | Samples | Comments | Logged by: | Date: |
|---------|-------------------|----------------|------------|----------------------|------------------------|----------|---------|--|------------|-----------|
| | | | Avg. | Max. | | | | | | |
| --0-- | | | | | | | | | NN | 11/Dec/81 |
| 3 | | GLY1 10Y4/1 | Clay | Silt | Gradational contact | | | Type 2: Silty mud (continued from 44) | | |
| --10-- | | | | | | BI:2 ? | | Type 1: Mud Shell fractions Hb shell fragments | | |
| --20-- | | | | | Massive? (Mottled) | | | | | |
| --30-- | | | | | | | | | | |
| --40-- | | | | | | | | | | |
| --50-- | | | | | | | | -50 Py burrow | | |
| --60-- | | | | | | | | | | |
| --70-- | | | | | | | | | | |
| 77 | Biscuits | GLY1 10Y4/1 | Silt | Fine sand (Foram) | Sharp? contact | | | Type: Silty mud | | |
| --80-- | | | | | | BI:2 ? | | -84 -87 shell fractions | | |
| --90-- | | | | | Massive? (Mottled) | | | | | |
| --100-- | | | | | | | | -97 Foram patch | | |
| --110-- | | | | | | | | | | |
| 113 | | GLY1 10Y4/1 | Clay | Fine sand (Foram) | Gradational contact | | | Type 1: Mud | | |
| --120-- | | | | | | BI:2 | | | | |
| --130-- | | | | | Massive? (Mottled) | | | | | |
| 131 | | | | | | | | | | |
| 132 | | | | | | | | Gap | | |
| --140-- | | | | | | | | -134 shell fragments | | |
| --150-- | | | | | | | | -146 Foram patch | | |

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

| Depth | Drilling disturb. | Color | Grain-size | | Sed. struct. / contact | Bioturb. | Samples | Comments | Logged by: | Date: |
|-----------|-------------------|-------|------------|------|------------------------|----------|---------------------------------|----------|-------------|-------|
| | | | Avg. | Max. | | | | | | |
| -- 0 -- | | | | | | | | NN | 11/Dec/2011 | |
| | | | | | | | Type 1: Mud (continued from 5A) | | | |
| -- 10 -- | | | | | | | Foram patches | | | |
| -- 20 -- | | | | | | | | | | |
| -- 30 -- | | | | | | | | | | |
| -- 40 -- | | | | | | | | | | |
| -- 50 -- | | | | | | | | | | |
| 52 | | | | | | | | | | |
| | | | | | | | | Void | | |
| 58 | | | | | | | | | | |
| -- 60 -- | | | | | | | | | | |
| -- 70 -- | | | | | | | | | | |
| | | | | | | | | | | |
| -- 80 -- | | | | | | | | | | |
| | | | | | | | | | | |
| -- 90 -- | | | | | | | | | | |
| | | | | | | | | | | |
| -- 100 -- | | | | | | | | | | |
| | | | | | | | | | | |
| -- 110 -- | | | | | | | | | | |
| | | | | | | | | | | |
| -- 120 -- | | | | | | | | | | |
| | | | | | | | | | | |
| -- 130 -- | | | | | | | | | | |
| | | | | | | | | | | |
| -- 140 -- | | | | | | | | | | |
| | | | | | | | | | | |
| 145 | | | | | | | | | | |
| -- 150 -- | | | | | | | | | | |



Biscuits

4
10
20
32.5

Void

69 Foram patch

75
↓
Foram patches rich
(to the bottom of this section)

98
105 } Py burrows

137-138 CaCO3 20.4%

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

| Drilling disturb. | Color | Grain-size | | Sed. struct. / contact | Bioturb. | Samples | Comments | Logged by: | Date: |
|-------------------|-------|------------|------|------------------------|----------|---------|--------------------------------------|------------|-------------|
| | | Avg. | Max. | | | | | | |
| | | | | | | | Type 1: Mud continued from 6A | NN | 11/Dec/2011 |
| | | | | | | | Foram patches rich (to the 70cm?) | | |
| | | | | | | | 43 Shell fractions | | |
| | | | | | | | = Color contact. | | |
| | | | | | | | Gradational contact | | |
| | | | | | | | BS:2 | | |
| | | | | | | | Massive? (Mottled) | | |
| | | | | | | | 83.5 Foram patch | | |
| | | | | | | | 84 shell fragments | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

| Depth | Drilling disturb. | Color | Grain-size | | Sed. struct. / contact | Bioturb. | Samples | Comments | Logged by: NN | Date: 11/Dec/11 |
|-------|-------------------|-----------------|------------|---------------------|------------------------|-----------|---------|---|---------------|-----------------|
| | | | Avg. | Max. | | | | | | |
| 0 | | | | | | | | Type 1: Mud continued from 7/4 | | |
| 6 | | GLEXY 10Y5/1 | Silt | Fine Sand (faam) | Gradational contact | | | Type 2: Silt mud Foram patches rich. | | |
| 10 | Biscuits | | | | Massive? | BI:2 ? | | | | |
| 28 | | GLEXY 10Y4/1 | Clay | Silt | Sharp? contact | | | Type 1: Mud | | |
| 30 | | | | | Massive? | BI:2 ? | | | | |
| 38 | | | | | | | | | | |
| 40 | | | | | | | | Pales - sample | | |
| 43 | | | | | | | | | | |
| 50 | | | | | | | | | | |
| 60 | | | | | | | | | | |
| 70 | | | | | | | | | | |
| 80 | | | | | | | | | | |
| 90 | | | | | | | | | | |
| 100 | | | | | | | | | | |
| 110 | | | | | | | | | | |
| 120 | | | | | | | | | | |
| 130 | | | | | | | | | | |
| 140 | | | | | | | | | | |
| 150 | | | | | | | | | | |

PAL

MAJOR LITHOLOGY:

MINOR LITHOLOGY: