

Depth	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
--0--		GREY 4/10Y	Clay	M. sand (Foram)	Massive	BI:2		Type 1: Mud - Foram present	NN	16/Dec/2011
--10--										
--20-- 23										
--30--										
--40--										
47										
--50--		GREY 4/10Y	Clay	M. sand (Foram)	Massive (Faint lamination?)	BI:2		Type 1: Mud - Foram present		
--60--										
--70--										
--80--										
--90--										
94										
--100--										
104										
108										
114										
119										
--120--										
133										
--140--										
--150--										

fall-in?

B.S. cuts

104 }
108 }
114 }
119 } Py burrows

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. / struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.					NN	16/Dec/2011
-- 0 --							Type 1: Mud	Continued from 1A	
-- 10 --							10 Py burrow		
-- 20 --							26 Py burrow		
-- 30 --									
-- 40 --									
-- 50 --									
-- 60 --									
-- 70 --							66 68 Foram rich		
-- 80 --									
-- 90 --									
-- 100 --									
-- 110 --									
-- 120 --									
-- 130 --									
-- 140 --									
-- 150 --									

Undisturbed?

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
-- 0 --									NN	16/Dec/2011
-- 10 --								Typel: Mud continued from 2A		
-- 20 --										
-- 30 --								32.5 shell fragments		
-- 40 --										
-- 50 --										
-- 60 --										
-- 70 --	Undisturbed?									
-- 80 --								75 SS		
-- 90 --								80 part of (echinoids)?		
								↓ Shell fragments		
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --										
133										
-- 140 --										
-- 150 --										

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. / struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
-0--							Type 1: Mud continued from 3A	NN	18/Apr/2011
-10--									
-20--									
-30--									
-40--									
-50--									
-60--									
-70--									
-80--	Undisturbed?								
-90--							85.5 88 ↓ Matured Py burrow		
-100--									
-110--							108 Py burrow		
-120--									
-130--							125 ↓		
-140--									
-150--									

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
--0--									NN	16/Dec/2011
								Typel: Mud continued from → Py burrow 4A		
--10--										
--20--										
--30--										
--40--										
--44--										
--50--								→ 49 → 51 } Py burrows		
--60--										
--70--										
--80--										
--90--										
--96--								→ 96 Shell fragments		
--100--										
--110--										
--120--								→ 119 Py burrow		
--128--										
--130--										
--140--										
--150--										

Biscuits

Biscuits

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

