

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
	2.5Y 4/1	Silt	Fine Sand (Foram)	Massive	BI:3		Type 2: Silty mud • Foram present • Dispersed shell fragments -14 Foram patch	NN	24 Dec 2011
	2.5Y 4/1	Clay	Fine sand (foram)	Gradational change Massive	BI:3		Type 1: Mud • Foram present • Dispersed shell fragments • Ill sorted (due to bioturbation?) -17 Py burrow -82 } shell fragments -85 }		
	2.5Y 4/1	Silt	Fine Sand (foram)	Bioturbated contact ↓ Massive	BI:3		Type 2: Silty mud • Foram present • Dispersed shell fragments -113 } shell fragments -119 } -141 } -144 } shell fragments		

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
-- 0 --					Bioturbated contact				NN	2/Dec/2011
4		2.5Y 4/1	Clay	Fine sand (foram)	Massive	BI:3		Type 2: Silty mud (same as above)		
-- 10 --								Type 1: Mud		
-- 20 --								<ul style="list-style-type: none"> • Foram present • Dispersed shell fragments 		
-- 30 --										
-- 40 --										
-- 50 --										
-- 60 --										
-- 70 --								-64 Py burrow		
-- 80 --								-70		
-- 90 --								-83 } Py burrow filled with shell fractions		
								-85 }		
								-88 - Py burrow		
								-94 Foram patch		
-- 100 --										
-- 110 --										
								-115 Py burrow		
-- 120 --					Bioturbated contact					
124		2.5Y 4/1	Silt	Fine sand (foram)	Massive	BI:3		Type 2: Silty mud		
-- 130 --								<ul style="list-style-type: none"> • Foram present • Dispersed shell fractions 		
-- 140 --					Bioturbated contact					
141		2.5Y 4/1	Clay	Very fine sand (foram)	Massive	BI:3 ?		Type 1: Mud		
-- 150 --								<ul style="list-style-type: none"> • Foram present • Dispersed shell fragments 		
								• Ill. sorted (due to bioturbation?)		

Biscuits

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
-- 0 --									NN	26 Dec 2011
-- 10 --								Type 1: Mud (same as above)		
-- 20 --										
-- 30 --										
-- 40 --										
-- 50 --										
-- 60 --										
-- 65 --								655		
-- 70 --										
-- 75 --										
-- 78 --								78 Py burrow		
-- 80 --										
-- 82 --								82 Py burrow		
-- 90 --										
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --										
-- 140 --										
-- 150 --										

Biscuit

655

78 Py burrow

82 Py burrow

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: N N	Date: 29 Dec 2011
		Avg.	Max.						
--0--							Type 1: Mud (same as above)		
--10--									
18				Gradational contact					
--20--	2.5Y 4/1	Silt	Fine sand	Massive BI:2 ?			Type 2: Silty mud		Fining upward
--30--							Foram present		
--40--									
--50--				Gradational contact					
55									
--60--	2.5Y 4/1	Silt	Fine sand	Massive BI:2			Type 2.5: Sandy mud		
--70--	Biscuits						• Dispersed shell fragments		
--80--							• Foram present		
--90--									
--100--									
--110--									
--120--				Gradational contact					
--120--	2.5Y 4/1	Silt	Fine sand (Foram)	Massive BI:3			Type 2: Silty mud		
--130--							• Foram present		
134				Bioturbated contact					
--140--	2.5Y 4/1	clay	Fine sand (Inclusions)	Massive BI:4			Type 1: Mud		
--140--							• Foram present		
148				Bioturbated contact					
--150--							Type 2: Silty mud		

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

see detail SA

Depth	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
0		2.5Y 4/1	Silt	Very Fine sand (Foram)	Massive	BI:3		Type 2: Silty mud • Foram present	NN	26/Dec/2011
13					Gradational contact			Type 2.5: Sandy mud		
20		2.5Y 4/1	Silt	Fine sand	Massive	BI:3		• Dispersed shell fragments • Foram present		
70										
80										
89										
149										

Biscuits

77
89 } Py burrows

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
								NN	26/Dec/2011
--0--							Type 2,5: Sandy mud (same as above)		
--10--									
--20--									
--30--									
--40--									
45	2.5Y 4/1	Very fine sand	fine sand	Gradational contact			Type 3: Silty sand		
--50--				Massive	BI:2		Shell fragments (rich)		
56	2.5Y 4/1	clay	Silt	Sharp contact			Type 1: Mud		
--60--				Massive	BI:3		• Foram present		
--70--									
75	2.5Y 4/1	Silt	Fine sand	Bioturbated contact			Type 2: Silty mud		
--80--			(Foram)	Massive	BI:3		• Foram present		
--90--							-88 R _y burrow		
96	2.5Y 4/1	clay	Fine sand	Bioturbated contact			Type 1: Mud		
--100--			(in burrow)	Massive	BI:3				
103									
--110--									
--120--									
--130--									
--140--									
--150--									

↑ Fining upward

Biscuits

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

2900

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
--0--								NN	26/Dec/2011	
							Type 1: Mud (same as above)			
--10--					Gradational contact					
12		2.5Y 4/1	Silt	Fine sand	Massive	BI-3 ?				
--20--							Type 2: Silty mud			
							• Foram present			
							• Dispersed shell fragments			
							-24 P _y burrow			
--30--					Sharp contact					
35	Biscuits									
		2.5Y 4/1	Clay	Very fine sand (Foram)	Massive	BI-3 ?				
--40--							Type 1: Mud			
							• Foram present			
--50--										
57										
--60--										
--70--										
--80--										
--90--										
--100--										
--110--										
--120--										
--130--										
--140--										
--150--										

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

2901

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
							Type 1: Mud (same as above)	N/N	26/Dec/2011
							Paleo-sample		
	2.5Y 4/1	Silt	Fine sand	Massive	Bz:2 ?		Type 2: Silty mud • Forams present • Dispersed shell fragments		



MAJOR LITHOLOGY:

MINOR LITHOLOGY: