

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.					N	N
	GLY 1 3/10r	Silt	Very fine sand	Massive	BI:2 ?		Type 2.5 : Sandy mud • Intense disturbed (washed) • Foram present		
							Washed (circled)		
							41.5 shell fragments		
							51		
							Gradational contact (circled)		
	GLY 1 3/10r	Silt	Very fine sand	Massive	BI:2		Type 2 : Silty mud • Foram present		
							82 Shell fragments (bivalves, spines of echinoids) 84 ↓		
							108 Shell fragment		
							129 shell fragments (including scaphopods)		
							142 Small shell fragments 143 ↓		
							Undisturbed (written vertically)		

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.					NN	29/Dec/2011
-- 0 --							Type 2: silty mud (same as above)		
							[3] Py burrows		
-- 10 --							[13-17] Small shell fragments		
-- 20 --									
-- 30 --							29 shell fragments		
-- 40 --									
-- 50 --									
-- 60 --									
-- 70 --	Undisturbed						67 ↓ Foram patches 72		
-- 80 --									
86									
-- 90 --									
	UNDISTURBED	GLEYS 3/10Y	Clay	Fine Sand (Foram)	Massive	BI: 2	Type 1: Mud • Greenish-grey mud [87-96] Py burrows • Foram present		
-- 100 --									
109									
-- 110 --									
118									
-- 120 --									
-- 130 --									
	Undisturbed						125 Py burrow		
-- 140 --									
-- 150 --									
152									

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
							Type 1: Mud (same as above)	NN	29/Dec/2011
							14 shell fragments		
							28 shell fragments (bivalves)		
							34 shell fragments (bivalves)		
							47		
							69 small shell fragments Calcareous Mud		
							86 small shell fragments		
							94		
							103		
							I w sample		

Undisturbed

no ss

MI

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
-- 0 --	Undisturbed							Type 1 = Mud (same as above)	NU	29/Dec/2011
								5 Small shell fragments		
-- 10 --										
-- 20 --								26 Small shell fragments		
-- 30 --										
-- 40 --								35 } 40 } Small shell fragments 47 }		
-- 50 --										
-- 60 --										
-- 70 --								65 Shell fragments		
-- 80 --										
-- 90 --								84 Shell fragments 86 coral		
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --										
-- 140 --										
-- 150 --										

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
-- 0 --							Type 1: Mud (same as above)	NN	29/Dec/2011
-- 10 --									
-- 20 --									
-- 30 --									
-- 40 --									
-- 50 --				Gradational contact					
51	GLEI 4/10Y	Silt	Very fine sand	Massive BI:3			Type 2: Silty mud • All sorted (clay - V.f. sand) • 53: shell fragment • Foram present		↑ Fining upward
-- 60 --									
-- 70 --				Gradational contact					
71	GLEI 4/10Y	Silt	Fine sand	Massive BI:3			Type 2.5: Sandy mud • All sorted (clay - f. sand) • 73-75 small shell fragments • Foram present Sandy mud with bio carb		
79						80 SS			
-- 80 --									
-- 90 --									
-- 100 --	Stretched?			potentially sharp contact					
-- 110 --				Bioturbated contact					
115									
117	GLEI 3/10Y	Clay	Fine sand (Foram)	Massive BI:3			Type 1: Mud • Greenish grey mud. • Foram present • 115.5 shell fragments in a burrow • 121 shell fragments		
-- 120 --									
-- 130 --									
134				Gradational contact					
-- 140 --									
140	GLEI 4/10Y	Silt	Fine sand	Massive BI:3			Type 2.5 Sandy mud • Foram present		↑ Fining upward
-- 150 --									

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

3195

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
							Type 2.5 Sandy mud (same as above)	NN	29/Dec/2011
--0--									
							11 shell fragments		
--10--									
	Stretched						17 shell fragments		
--20--									
26									
--30--				Sharp contact					
33									
	Undisturbed	GLEYS 3/10Y	Clay	Vary fine sand (Foram)	Massive BI:2		Type 1: Mud • Greenish grey mud • Foram present 40 shell fragments		
--40--									
--50--									
				Bioturbated contact					
--60--							60 shell fragments		
64		GLEYS 4/10Y	Silt	F. sand	Massive BI:3		Type 2.5 Sandy mud • Foram present		
66									
--70--									
--80--									
--90--									
--100--									
--110--									
--120--									
--130--									
--140--									
--150--									

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

3196



	Drilling disturb.	Color	Grain-size		Sed. / struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
-- 0 --									NN	29/Dec/2011
8								Type 2.5 = Sandy mud (same as above)		
-- 10 --										
19								Pales - sample		
-- 20 --										
-- 30 --										
-- 40 --										
-- 50 --										
-- 60 --										
-- 70 --										
-- 80 --										
-- 90 --										
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --										
-- 140 --										
-- 150 --										

MAJOR LITHOLOGY:

MINOR LITHOLOGY: