

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
--0--	GLE1 3/10Y	Silt	Very fine sand	Mottled (Massive)	BI:2		Type 2.5: Sandy mud • Foram present • Shell fragments	NN	4/Jan/2012
5									
--10--	GLE1 3/10Y	Silt	Medium sand (foram)	Mottled (Massive)	BI:2		Type 2: Silty mud • Foram present		
12									
--20--	GLE1 3/10Y	Clay	fine sand (foram)	Mottled (Massive)	BI:2		Type 1: Mud • Foram present - 16 small shell fragments - 18 Py burrow		
24									
25	GLE1 3/10Y	Silt	U.F. sand	Mottled	BI:2		Type 2.5: Sandy mud (Burrow??)		
--30--	GLE1 3/10Y	Clay	Fine sand (foram)	Mottled (Massive)	BI:2		Type 1: Mud • Foram present		
--40--									
--50--	GLE1 3/10Y	Silt	Fine sand (foram)	Mottled (Massive)	BI:3		Type 2: Silty mud • Foram present		
51									
--60--	GLE1 3/10Y	Clay	Medium sand (foram)	Mottled (Massive)	BI:3		Type 1: Mud • Foram present		
--70--									
--80--									
--90--									
94									
95	GLE1 3/10Y	Silt	Fine sand	Mottled	BI:3		Type 2: Silty mud		
--100--	GLE1 3/10Y	Clay	Fine sand (foram)	Mottled (Massive)	BI:3		Type 1: Mud • Foram present		
--110--									
--120--									
--130--									
--140--									
--150--									

Biscuits (low intensity)

coarsening upward

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: NN	Date: 4 Jan 2012
		Avg.	Max.						
--0--							Type 1: Mud (same as above)		
--10--									
--20--							18 A, burrow		
--30--									
--40--									
--50--									
--60--									
--70--									
78									
--80--									
	Biscuits (low intensity)	GLEXY 3/10Y	Silt	Very fine sand	BI: 2		Type 2.5: Sandy mud • Foram present • Silty sand with biogenic carbonate.		
--90--									
--100--									
104									
--110--									
		GLEXY 3/10Y	clay	Fine sand (foram)	BI: 3		Type 1: Mud • Foram present		
--120--									
--130--									
--140--									
--150--									

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: NN	Date: 4 July 2012
			Avg.	Max.						
-- 0 --								Type 1: Mud (same as above)		
-- 10 --								8 Relatively coarse (containing more silt)		
-- 20 --										
-- 30 --										
-- 40 --										
-- 50 --								50 52 burrow patches		
-- 60 --								64		
-- 70 --										
-- 80 --										
-- 90 --										
-- 100 --										
-- 110 --										
-- 120 --								115 SS Silty Mud w/ Bio Carb		
-- 130 --										
-- 140 --										
-- 150 --										IW sample

Biscuits (Low intensity)

MI

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

3545

Depth	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
0								MM	4/Jan/2012	
0-10										
10-20										
20-30										
30-40										
40-50										
50-60										
60-70										
70-80										
80-90										
90-93										
93-100		GLEFI 3/10Y	Silt	Vary fine sand	Mottled (Massive)	BI:3	Type 2: Silty mud			
100-110										
110-120										
120-130										
130-131										
131-140		GLEFI 3/10Y	Clay	Fine sand (Fudm)	Mottled (Massive)	BI:3	Type 1: Mud			
140-150										
150-150.5										

Biscuits (Low intensity)

Py burrows

Gladstone contact

↑ Firing upward

Gladstone contact

↑ Coarsening upward

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: NN	Date: 4/Jan/2012
			Avg.	Max.						
--0--								Type 1: Mud (same as above)		
--10--										
--20--										
--30--					Gradational contact					
36		GLEP 3/10Y	Silt	Silt	Mottled	BI:2		Type 2: Silty mud		Finishing Upward
--40--					Gradational contact					
46		GLEP 3/10Y	Silt	Very fine sand	Mottled	BI:2		Type 2.5: Sandy mud		
--50--										
--60--										
--70--					Gradational contact					
77		GLEP 3/10Y	Silt	Silt	Mottled	BI:2		Type 2: Silty mud		coarsening Upward
--80--					Gradational contact					
81		GLEP 3/10Y	clay	Very fine sand (forams)	Mottled	BI:2		Type 1: Mud		
--90--										
--100--										
--110--										
--120--										
127										
--130--										
--140--										
--150--										

Biscuits (Low intensity)

76 Py burrow filled with shell fragments

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

3549

	Drilling disturb.	Color	Grain-size		Sed. / struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:	
			Avg.	Max.							
-- 0 --	(Low intensity) Biscuits							Type 1: Mud (same as above)	NN	4/5 Jan / 2012	
-- 10 --											
-- 20 --											
26											Paleo Sample
-- 30 --											
-- 40 --											
-- 50 --											
-- 60 --											
-- 70 --											
-- 80 --											
-- 90 --											
-- 100 --											
-- 110 --											
-- 120 --											
-- 130 --											
-- 140 --											
-- 150 --											



MAJOR LITHOLOGY:

MINOR LITHOLOGY: