

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
	GLEI 4/10Y	Clay	Fine Sand (foam)	Mottled (Massive)	BI-3		Type 1: Mud • Greyish color • Foram present • dispersed by burrow	NN	5/Jan/2012
	Biscuits						-44 Foram patch		



MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: NN	Date: 7 July 2012
		Avg.	Max.						
--0--							Type 1: Mud (same as above)		
--10--							Relatively Brownish-grey color		
--20--									
--30--							25 foram patch		
--40--									
--50--									
--60--							-60 shell fragments		
--70--									
--80--									
89									
--90--							Type 2: Silty mud		
							- Foram present		
99									
--100--							Type 1: Mud		
							- Greyish color		
--110--							109 Py burrow		
							110 Foram patches		
--120--							118 Py burrow		
							119 Foram patches		
							122 Py burrow		
--130--							130 Foram patch		
--140--									
--150--									

Biscuits

Gradational contact
↓

↑ Fining upward

Gradational contact
↓

↑ Coarsening upward

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: NN	Date: 5/Jan/2012
		Avg.	Max.						
-- 0 --							Type 1 = Mud (same as above)		
-- 10 --							11. Foram patch		
-- 20 --									
-- 30 --									
-- 32 --							32 ↓ shell fragments		
-- 35 --							35 ↓		
-- 40 --									
-- 50 --									
-- 55 --							55 Foram patch		
-- 60 --									
-- 70 --									
-- 80 --									
-- 88 --							88 shell fragments (gastropod)		
-- 90 --									
-- 100 --									
-- 107 --							107] Py burrow		
-- 111 --							111]		
-- 120 --							122 Py burrow		
-- 123 --							123 small shell fragments		
-- 130 --									
-- 140 --									
-- 150 --							148 Py burrow		

Biscuits

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: NN	Date: 5/Jan/2012
		Avg.	Max.						
							Type 1: Mud (same as above)		
							10 ↓ small shell fragments 13		
							25 ↓ small shell fragments 35		
				Gradational contact			58 shell (echinoid)		Finishing upward
	GLEP1 F/10F	Silt	Very fine sand	Mottled	BS-2		61 ↓ small shell fragments Type 2: Silty mud		
				Gradational contact		15SS			
	GLEP1 F/10F	Clay	Fine sand (foam)	Mottled	BE-3		90SS Type 1: Mud • Greyish color • Forams present Foram patch		coarsening upward
							116 ↓ shell fragments (echinoid?)		
							Relatively coarser part (silty)		

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: NN	Date: 5/Jan/2012
		Avg.	Max.						
-- 0 --							Type 1: Mud (same as above) 5 shell fragments		
-- 10 --									
-- 20 --									
-- 30 --									
-- 40 --									
-- 50 --									
-- 60 --									
-- 70 --							70 shell fragments		
-- 80 --									
-- 90 --									
-- 100 --									
-- 110 --									
-- 120 --									
-- 130 --									
-- 135 --							130 Ry burrow		
-- 140 --									
-- 150 --							IW sample		



MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
-- 0 --							Type 1: Mud (same as above)	NN	5/Jan/2012
-- 10 --									
-- 20 --									
-- 30 --									
-- 40 --									
-- 50 --									
-- 60 --									
-- 70 --									
-- 80 --									
-- 90 --									
-- 100 --									
-- 110 --									
-- 120 --									
-- 130 --									
-- 140 --									
-- 150 --									



Biscuits

38
 Foram rich
 49

97 Foram patch

91 Shell fragment

109 Shell fragment

132 Shell fragment

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: NN	Date: 9/Jan/2012
		Avg.	Max.						
--0--	GLY1 4/10%						Type 1: Mud (Same as above)		
--10--	gradual change			Gradational (color) contact					
--20--									
--30--	5Y 4/1 Clay		Very fine sand (foram)	Mottled	BI:2		Type 1: Mud - Brownish color. - Foram present		
--40--									
--50--									
--60--				Gradational contact					
62	5Y 3/2	Silt	Fine sand	Mottled	BI:2		Type 2.5 Sandy mud - Brownish color - 66-67 Shell fragments		Finning upward
--70--	Biscuits								
--80--									
--90--				Gradational contact					
--100--	5Y 3/2	Silt	Very fine sand	Mottled	BI:3		Type 2: silty mud - 104 Shell fragments Black mottled (↑ phlita + bioturbation + Biscuits?)		coarsening upward
--110--									
--120--									
124									
--130--									
--140--									
--150--									

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

3654

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
				Gradational contact			Type 2: Silty mud (same as above)	UN	5/Jan/2012
	5Y 4/2	Fine sand	Fine sand	Mottled sharp contact	BI:2		Type 3: Silty sand - Well sorted		
	5Y 3/2	Silt	Very fine sand	Mottled	BI:2		Type 2: Silty mud - Brownish color - Foram present		
							Paiko - Sample		

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

