


Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
								NN	6 Jan 2012
--0--									
	fall-in								
--10--									
16									
--20--	2.5Y 4/1	Clay	Fine sand (Foram)	Mottled	BI: 2 ?		Type 1: Mud • Brownish-grey color • Foram present 23 deformed burrow (silt fill)		
--30--									
--40--	Undisturbed								
--50--									
55									
--60--									
--70--	Fractured								
77									
--80--									
--90--									
--100--									
--110--	Undisturbed								
--120--							115 scaphopod		
				Gradational contact					
129									
--130--	2.5Y 4/1	Silt	Silt	Mottled Gradational contact	BI: 2		Type 2: Silty mud		Fining upward
132									
	2.5Y 4/1	Silt	U.F. sand	Mottled Bioturbated contact	BI: 2		Type 2.5: Sandy mud • Dispersed shell fragments		
138									
--140--	2.5Y 4/1	Silt	Fine sand (Foram)	Mottled	BI:		Type 2: Silty mud • Foram present		
--150--									

MAJOR LITHOLOGY:


MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: NN	Date: 6 Jan 2012
			Avg.	Max.						
-- 0 --								Type 2: Silty mud (same as above)		
-- 10 --								* note: This section is unscrubbed for better preservation of faint "lamination".		
-- 20 --								19-20 small shell fragments		
-- 30 --								26 ↓ spoty burrows filled with silt-f. sand		
-- 40 --								41 ↓		
-- 50 --								44 ↓ small shell fragments		
-- 60 --								51 ↓		
-- 70 --								65 ↓ spoty burrows		
-- 80 --								73 ↓		
-- 90 --								75 ↓ Faint "lamination"?		
-- 100 --								95 ↓  initially parallel laminae?		
-- 110 --										
-- 120 --								117 small shell fragments		
-- 130 --										
-- 140 --										
-- 150 --										

Undisturbed

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: NN	Date: 6 Jan / 2012
		Avg.	Max.						
--0--							Type 2: Silty mud ^{same as above}		
--10--							*NOTE: This section is unscrubbed for better preservation of faint "lamination". ↳ small shell fragments		
--20--									
--30--									
--40--							35 small shell fragments		
--50--									
--60--									
--70--							51 small shell fragments		
--80--	Undisturbed			72 ↑ faint laminae ↓ 88			70 shell fragments		
--83--							76 ↓ 83 spotty burrows (silt-v.f.s fill)		
--90--									
--100--									
--110--							108 shell fragments		
--120--							120  silt-v.f. sand-fills burrow		
--130--									
--140--							136 ↓ 147 spotty burrows filled with silt-v.f.s		
--150--									

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
								UN	8 Jan 2012
-- 0 --							*Note: This section is unscrubbed for better preservation of faint "lamination".		
-- 10 --				8 faint "laminae"			Type 2: Silty mud 10 shell fragments		
-- 20 --									
-- 30 --				24					
-- 40 --									
-- 50 --									
-- 60 --							spotty burrows filled with silt - v-f. sand		
-- 70 --	Undisturbed						66 ↓		
-- 80 --						75 SS			
-- 90 --							90		
-- 100 --							spotty burrows filled with silt - v-f. sand		
-- 110 --							108		
-- 120 --									
-- 130 --									
-- 140 --							137 shell fragments		
-- 150 --									

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
-- 0 --								NN	8 Jan / 2012	
-- 10 --					15					
-- 20 --										
-- 30 --										
-- 40 --										
-- 50 --										
-- 60 --										
-- 70 --					70					
-- 80 --										
-- 90 --										
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --										
-- 140 --										
-- 150 --										

* Note: This section is not scribed for better preservation of faint "lamination".
 Type 2: Silty mud (same as above)
 • Spotty burrows filled with silt & v-f sand throughout this section.

Undisturbed

Faint "lamination" ?

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

3731

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: NN	Date: 8 Jan 2012
		Avg.	Max.						
-- 0 --							Type 2: Silty mud		
-- 10 --									
-- 20 --									
-- 30 --									
-- 40 --									
-- 50 --									
-- 60 --									
-- 70 --									
-- 80 --									
-- 90 --									
-- 100 --									
-- 110 --									
-- 120 --									
126									
-- 130 --	2.5Y 4/1	Clay	Vary fine sand (furan)	Mottled	BI:3		Type 1: Mud - Brownish-grey color. - Faam present.		
-- 140 --									
-- 150 --									

Undisturbed

99
↓
103



burrow filled with mud

Gradational contact



MAJOR LITHOLOGY:

MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
-- 0 --								NN	8/Jan/2012	
					Gradation in contact ↓					
-- 10 --		2.5Y 4/1	Silt	Very fine sand	Mottled	BI:3				
-- 20 --	Undisturbed							Type 1: Mud (same as above)		
-- 30 --								Type 2: Silty mud		
-- 40 --								- Brownish-grey color		
-- 50 --								- Foram present		
55										
-- 60 --										
-- 70 --										
-- 80 --										
-- 90 --										
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --										
-- 140 --										
-- 150 --										

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. / struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
-- 0 --								NN	6 Jan / 2012	
-- 10 --										
-- 20 --										
-- 30 --										
-- 40 --										
46										
-- 50 --										
-- 60 --										
-- 70 --										
-- 80 --										
-- 90 --										
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --										
-- 140 --										
-- 150 --										



MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Type 2: Silty mud (same as above)

Paleo-sample

Undisturbed