

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
-- 0 --			clay	vsd	mass: vs.	3		0-131.5 mud. Scattered shell fragments and iron sulfidated spots	f	1/10/2019
-- 10 --										
-- 20 --		2.5Y 5/1								
-- 30 --										
-- 40 --										
-- 50 --										
-- 60 --										
-- 70 --								69-70 burrow filled frusd. with shell fragments.		
-- 80 --										
-- 90 --										
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --								129-131 void. 131.5		
-- 140 --										
-- 150 --										

Gas extension cracking.



MAJOR LITHOLOGY:

MINOR LITHOLOGY:



	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: f	Date: 1/10/2012
			Avg.	Max.						
-- 0 --			clay	vfed	massive	3		0-137 mud.		
-- 10 --										
-- 20 --										
-- 30 --		2.5Y								
-- 40 --		5/1								
-- 50 --										
-- 60 --										
-- 70 --										
-- 80 --										
-- 90 --										
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --										
-- 140 --										
-- 150 --										

Gas ex-fusion cracking.



55-56 iron sulfided tube nodule.



130-131 iron sulfided ~~nodule~~

• 134-136 void.

137.

MAJOR LITHOLOGY:

MINOR LITHOLOGY:



	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
-- 0 --			clay	vfsd	mod. v. 10	3		0-128 mud.		
-- 10 --										
-- 20 --										
-- 30 --		2.5Y 5/1								
-- 40 --										
-- 50 --										
-- 60 --										
-- 70 --										
-- 80 --										
-- 90 --										
-- 100 --										
-- 110 --										
-- 120 --										
-- 130 --										
-- 140 --										
-- 150 --										

Gas cracking



20-21 burrow filled  
 from sed grains  
 with shell fragments

113-114 burrow filled.  
 iron sulfide nodule.

128  
 PAL.  
 135.

MAJOR LITHOLOGY:

MINOR LITHOLOGY: