

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
								NN	12 Jan / 2012
-0--	10Y 4/1	Clay	Fine sand (foram)	Mottled (Massive)	BI:3		Type 1: Mud <ul style="list-style-type: none"> <li>• Greenish-grey color.</li> <li>• Foram present.</li> <li>5 shell fragments</li> <li>• Rare black specks</li> </ul>		
-10--									
-20--									
-30--									
-40--									
-50--							45 shell fragments		
-60--							Small 57 shell fragments		
-70--	Biscuits			Bioturbated contact					
76									
-80--	10Y 4/1	Silt	Medium sand (foram)	Mottled	BI:3		Type 2: Silty mud <ul style="list-style-type: none"> <li>• Greenish-grey color</li> <li>• Foram present</li> <li>• poorly sorted (Clay - Medium sand) due to bioturbation</li> <li>85, 87: shell fragments</li> </ul>		
-90--									
-100--									
-110--									
-120--									
-130--							126 } small shell fragments 128 }		
-140--							134 shell fragments		
-150--	↓ darker (relatively)						144 shell fragments		

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: NN	Date: 12/Jan/2012
		Avg.	Max.						
-0--							Type 2: Silty mud (same as above)		
-10--							-13 } small shell fragments -18 }		
-20--									
-30--									
-33--							-33 small shell fragments		
-40--									
-40--	10Y 4/1	Clay	Medium sand (foam)	Structure ↓	3:3		Type 1: Mud • Greenish-gray color • Rich forams -54 shell fragments • Rare black specks -69 shell fragments • Foram rich ↓ (to the bottom of this section)		
-50--									
-60--									
-70--									
-80--									
-90--							-87 shell fragments		
-100--									
-110--							-104 } Py burrows -107 }		
-120--									
-130--									
-140--									
-150--									

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

4478

Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
		Avg.	Max.						
							Type 1: Mud (same as above) (Greenish-gray mud) • Few black specks • Foram rich	NN	12/Jan/2012
							-37 Py burrow		
							-77 -79 shell fragments		
							-83 Py burrow		
							-97 Py burrow		

Biscuits

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

	Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by:	Date:
			Avg.	Max.						
--0--									NN	12/Jan/2012
--10--								Type: Mud (same as above)		
--20--										
--30--										
--40--										
--50--										
--54--										
--60--										
--70--										
--80--										
--90--										
--100--										
--110--										
--120--										
--130--										
--140--										
--150--										



Biscuits

19  
48

Large burrow? (black mottling) -25 small shell fragments

MAJOR LITHOLOGY:

MINOR LITHOLOGY:

4419



Drilling disturb.	Color	Grain-size		Sed. struct. / contact	Bioturb.	Samples	Comments	Logged by: VN	Date: 12/Jan/2012
		Avg.	Max.						
-0-							Type 1: Mud (same as above) } black to small silt-fingering } mottling (burrows?)		
-10- 12									
17							Paleo - sample		
-20-									
-30-									
-40-									
-50-									
-60-									
-70-									
-80-									
-90-									
-100-									
-110-									
-120-									
-130-									
-140-									
-150-									

MAJOR LITHOLOGY:

MINOR LITHOLOGY: