

IODP-MSP (Exp. 347) VISUAL SECTION UNIT DESCRIPTION

Exp. 347	Site 59	Hole A	Core 25	Type H	Section 2
-------------	------------	-----------	------------	-----------	--------------

Date 1/25/14	Time	Observers MK/SP
-----------------	------	--------------------

[cm]	Graphic Lith.	Bioturb.	Structure	Fossils	Sorting	Roundness	Color	Accessories	Core Disturbance	Description
0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160		6 1								<p>0-20 cm: Grey (5Y 5/1) poorly sorted sandy silty clay with dispersed clasts, massive, homogeneous with numerous sedimentary intraclasts (mainly dark grey mudstone)</p> <p>20-150 cm: Grey (5Y 5/1) well-laminated silty clay and ^{sandy} clay silt, laminae spacing 0.5-1 cm.</p> <ul style="list-style-type: none"> - laminae are inclined and planar and parallel - silt laminae are 1-3 mm thick at 20-108 cm and 3-5 mm thick at 108-150 cm - 108⁴⁷-150 cm: very fine sandy silt laminae - sharp, inclined contact at 47 cm <p>Core is slightly disturbed with minor bowing of laminae at the edges of the core.</p>