

IODP-MSP (Exp. 347) VISUAL SECTION UNIT DESCRIPTION

| | | | | | |
|-------------|------------|-----------|-----------|-----------|--------------|
| Exp. 347 | Site 59 | Hole E | Core 2 | Type H | Section 1 |
|-------------|------------|-----------|-----------|-----------|--------------|

| | | |
|------------------|---------------|--------------------|
| Date 29.01.14 | Time 09.05 | Observers MK/SP |
|------------------|---------------|--------------------|

| [cm] | Graphic Lith. | Bioturb. | Structure Fossils | Sorting | Round-ness | Color | Accessories | Core Disturbance | Description |
|------|---------------|----------|---------------------|-------------|------------|-------|-------------|------------------|--|
| | | | | w m vp bl r | a | | | | |
| 0 | | | | | | | | | 0-20cm highly disturbed |
| 10 | | | | | | | | | |
| 20 | | | | | | | | | black organic-rich clay (N25) |
| 30 | | | | | | | | | <ul style="list-style-type: none"> • faint lamination visible by color • uncommon bioturbation with few burrows? wt |
| 40 | | | | | | | | | 53cm |
| 50 | | | | | | | | | <ul style="list-style-type: none"> • some laminae look like disrupted • very well sorted |
| 60 | | | | | | | | | 20-90cm slightly disturbed |
| 70 | | | | | | | | | 45cm shell fragments |
| 80 | | | | | | | | | <ul style="list-style-type: none"> • 51-90cm oxidized along core line + cracks (horizontal + vertical) • (SY413 olive) |
| 90 | | | | | | | | | 90-150cm MBIO |
| 100 | | | | | | | | | |
| 110 | | | | | | | | | |
| 120 | | | | | | | | | |
| 130 | | | | | | | | | |
| 140 | | | | | | | | | |
| 150 | | | | | | | | | |
| 160 | | | | | | | | | |

MBIO