



# IODP-MSP (Exp. 347) VISUAL SECTION UNIT DESCRIPTION

Exp.	Site	Hole	Core	Type	Section
347	63	D	39	H	2

Date	Time	Observers
10.02.14	14:00	MK/SP

[cm]	Graphic Lith.	Bioturb.	Structure   Fossils	Sorting	Round-ness	Color	Accessories	Core Disturbance	Description
				w m vp bl r a					
<div style="display: flex; flex-direction: column; align-items: center;"> <div style="margin-bottom: 5px;">0</div> <div style="margin-bottom: 5px;">10</div> <div style="margin-bottom: 5px;">20</div> <div style="margin-bottom: 5px;">30</div> <div style="margin-bottom: 5px;">40</div> <div style="margin-bottom: 5px;">50</div> <div style="margin-bottom: 5px;">60</div> <div style="margin-bottom: 5px;">70</div> <div style="margin-bottom: 5px;">80</div> <div style="margin-bottom: 5px;">90</div> <div style="margin-bottom: 5px;">100</div> <div style="margin-bottom: 5px;">110</div> <div style="margin-bottom: 5px;">120</div> <div style="margin-bottom: 5px;">130</div> <div style="margin-bottom: 5px;">140</div> <div style="margin-bottom: 5px;">150</div> <div style="margin-bottom: 5px;">160</div> </div>			<p style="font-size: small;">homogeneous (very fine laminations)</p> <p style="font-size: small;">concretion</p>						<ul style="list-style-type: none"> <li>• dark gray silty clay with silt laminae (SY 4/11)</li> <li>• well sorted</li> <li>• slightly disturbed</li> <li>• silt laminae ~ 1-3 mm in thickness silty clay-clay laminae 0.5-4 cm thickness</li> <li>• 7-9 cm concretion</li> <li>• 40-60 cm ~ 21 laminae → 9-10 mm thickness &amp; parallel and plane laminated</li> </ul>