

IODP-MSP (Exp. 347) VISUAL SECTION UNIT DESCRIPTION

| | | | | | |
|-------------|------------|-----------|-----------|-----------|--------------|
| Exp. 347 | Site 64 | Hole A | Core 8 | Type N | Section 1 |
|-------------|------------|-----------|-----------|-----------|--------------|

| | | |
|---------------------|---------------|-----------------|
| Date 12 Feb 2014 | Time 12:20 | Observers OH |
|---------------------|---------------|-----------------|

| [cm] | Graphic Lith. | Bioturb. | Structure Fossils | Sorting Roundness | | | | | | Color | Accessories | Core Disturbance | Description |
|------|-----------------------------|----------|--------------------------------|-------------------|---|----|----|---|---|-------|-------------|--|--|
| | | | | w | m | vp | bl | r | a | | | | |
| 0 | [Photograph of core sample] | | [Sketch of sediment structure] | | | | | | | | | | - Dark gray (2.5Y 4/1) |
| 10 | | 18 | | | | | | | | | | | - Clast-rich sandy diamictite |
| 20 | | 26 | | | | | | | | | | | - mostly massive, some more fine-grained layers/beds |
| 30 | | 17 | | | | | | | | | | | - consolidated and compacted |
| 40 | | 20 | | | | | | | | | | - maximum clast size 30mm | |
| 50 | | | | | | | | | | | | - topmost 3-5 cm looser sediment, less gravel clasts | |
| 60 | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | |
| 110 | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | |
| 130 | | | | | | | | | | | | | |
| 140 | | | | | | | | | | | | | |
| 150 | | | | | | | | | | | | | |
| 160 | | | | | | | | | | | | | |