

IODP Exp. 347 Baltic Sea Paleoenvironment
 SEDIMENT SMEAR SLIDE
 & THIN SECTION WORKSHEET

Expedition	Site	Hole	Core	Type	Sec	Interval (cm)	
						Top	Bottom
347	60	A	3	H	1	140	141

Sediment	Sand, a few cm above shell bed	Observer	SP
----------	--------------------------------	----------	----

Smear Slide

Dominant Lithology	Minor Lithology
X	

Percent Terrigenous Texture		
Sand	Silt	Clay
90	7	3

Comments:

Subrounded to rounded quartz grains

Percent	Component
SILICICLASTIC GRAINS/MINERALS	
	Framework minerals
80	Quartz
9	Feldspar (undifferentiated)
	K-feldspar (Orthoclase, Microcline...)
1	Plagioclase
	Rock fragments
	Volcanic glass
	Accessory/trace minerals
	Micas
hr	Biotite
	Muscovite
	Chlorite
3	Clay sized fraction
1	Glauconite
1	Ferromagnesian minerals
1	Other dense minerals
	Authigenic minerals
	Zeolite
	Pyrite
1	Opaque minerals (undifferentiated)
	Fe-oxide
	Carbonates
	Micrite
	Others

Percent	Component
BIOGENIC GRAINS	
	Calcareous
1	Foraminifera
	Nannofossils
	Pteropods
	Ostracods
	Echinoderm
	Bivalves
	Bryozoans
	Corals
	Sponge spicules
	Other spicules
	Bioclast (undifferentiated)
	Siliceous
	Radiolarians
	Diatoms
	Silicoflagellates
hr	Sponge spicules
hr	Siliceous debris (undifferentiated)
	Others
	Dinoflagellates
	Pollen
1	Organic debris
	Plant debris
	Fish remains (teeth, bones, scales)
	Others