

IODP Exp. 347 Baltic Sea Paleoenvironment
 SEDIMENT SMEAR SLIDE
 & THIN SECTION WORKSHEET

Expedition	Site	Hole	Core	Type	Sec	Interval (cm)	
						Top	Bottom
347	60	A	15	H	3		

Sediment	Laminated silty clay	Observer	JP
----------	----------------------	----------	----

Smear Slide	Dominant Lithology	Minor Lithology	Percent Terrigenous Texture		
			Sand	Silt	Clay
	X		5	90	5

Comments:

Poorly sorted silt fraction with coarse and fine silt, but otherwise well sorted with only minor sand and clay components.

Percent	Component
SILICICLASTIC GRAINS/MINERALS	
	Framework minerals
90	Quartz
	Feldspar (undifferentiated)
	K-feldspar (Orthoclase, Microcline...)
	Plagioclase
	Rock fragments
	Volcanic glass
	Accessory/trace minerals
1	Micas
	Biotite
	Muscovite
	Chlorite
5	Clay sized fraction
	Glauconite
	Ferromagnesian minerals
1	Other dense minerals
	Authigenic minerals
	Zeolite
	Pyrite
1	Opaque minerals (undifferentiated)
	Fe-oxide
	Carbonates
	Micrite
	Others

Percent	Component
BIOGENIC GRAINS	
	Calcareous
	Foraminifera
tr	Nannofossils
	Pteropods
	Ostracods
	Echinoderm
	Bivalves
	Bryozoans
	Corals
	Sponge spicules
	Other spicules
	Bioclast (undifferentiated)
	Siliceous
	Radiolarians
	Diatoms
	Silicoflagellates
	Sponge spicules
tr	Siliceous debris (undifferentiated)
	Others
	Dinoflagellates
	Pollen
1	Organic debris
	Plant debris
	Fish remains (teeth, bones, scales)
	Others