

IODP Exp. 347 Baltic Sea Paleoenvironment
 SEDIMENT SMEAR SLIDE
 & THIN SECTION WORKSHEET

Expedition	Site	Hole	Core	Type	Sec	Interval (cm)	
						Top	Bottom
347	66	A	2	H	CC		

Sediment	<i>Dark grayish silty clay, laminated</i>	Observer	SP
Smear Slide	Dominant Lithology <i>X</i>	Minor Lithology	Percent Terrigenous Texture Sand Silt Clay <i>1 20 79</i>

Comments:

Detrital carbonate in sand and silt fraction

Percent	Component
SILICICLASTIC GRAINS/MINERALS	
	Framework minerals
10	Quartz
tr	Feldspar (undifferentiated)
	K-feldspar (Orthoclase, Microcline...)
	Plagioclase
	Rock fragments
	Volcanic glass
	Accessory/trace minerals
	Micas
tr	Biotite
	Muscovite
79	Chlorite
79	Clay sized fraction
	Glauconite
tr	Ferromagnesian minerals
tr	Other dense minerals
10	<i>Detrital carbonate</i>
	Authigenic minerals
	Zeolite
	Pyrite
tr	Opaque minerals (undifferentiated)
	Fe-oxide
	Carbonates
	Micrite
	Others

Percent	Component
BIOGENIC GRAINS	
	Calcareous
	Foraminifera
	Nannofossils
	Pteropods
	Ostracods
	Echinoderm
	Bivalves
	Bryozoans
	Corals
	Sponge spicules
	Other spicules
	Bioclast (undifferentiated)
	Siliceous
	Radiolarians
	Diatoms
	Silicoflagellates
	Sponge spicules
	Siliceous debris (undifferentiated)
	Others
	Dinoflagellates
	Pollen
	Organic debris
	Plant debris
	Fish remains (teeth, bones, scales)
	Others