

Drilling Mud Report(Off Shore)

Engineer **K.Mori**
H.Ito

No. **36**

Date **24, November, 2013**

TOTAL Depth(MSL) **4,269.0m**

Company **MOJ**

Well Name **C0002N (NT3-01)**

BRT Depth: **4,297.5 m**, SSL Depth: **2,330.0 m**

Casing Program		Mud Volume & Bit Data		Pump Data		String Data		Circulation Data (min)	
Conductor	36 in 2,121.5 m	Riser Vol. (m ³)	392	Pump No.1 (l/st)	19.45	DP Size (in)	5	Surface to Bit	:
Intermediate	20 in 2,827.8 m	CSG Vol. (m ³)	159	Pump No.2 (l/st)	19.45	DC1 Size (in)	8.5	Bottom's Up	:
Intermediate	13.375 in 3,978.3 m	B/Hole Vol. (m ³)	24	Pump No.3 (l/st)	19.45	DC2 Size (in)		Surf to Surf	:
Intermediate	in m	Disp Vol. (m ³)	18	P/Speed No.1 (spm)		A/Vel DP (ft/min)		System Total	:
Intermediate	in m	T/Circ Vol. (m ³)	657	P/Speed No.2 (spm)		A/Vel DC1(ft/min)		P/ Press(Mpa)	:
Intermediate	in m	Pit Vol. (m ³)	100	P/Speed No.3 (spm)		A/Vel Rise(ft/min)			
Production	in m	Bit Size (inch)	12.25	Rate (gal/min)					

Mud Type:	KNPP	Mud Properties			Materials Name	Daily Amount	Total Amount	Daily Cost
Time (Sampling : Suction)	4:30	16:00	20:30	Tel-Bar				
Depth (m)	Pit	Pit	Hivis	Kunigel VO (Bulk)				
Mud Weight (SG/PPG)	1.13 9.4	1.13 9.4	1.16 9.7	NaCl				
Funnel Viscosity(sec./qt.)	115	113	268	KCL				
A.V(cps) at /49 cent.	63.5	60 /36.5	108.5	Tel-Polymer DX				
P.V(cps)	41	38 / 23	59	Tel-Polymer L				
Y.V(lb/100ft ²)	45	44 / 27	99	Tel-Polymer H				
10"Gel(lb/100ft ²)	8	8 / 5	19	XCD-Polymer				
10'Gel(lb/100ft ²)	10	10 / 6	24	Soda Ash				
API Filtrate(cc/30min.)	2.8	2.8		Caustic potash				
Cake Thickness(mm)	0.5	0.5		Clean Lube				
pH(-)	10.0	9.9	9.6	Tel Clean				
Pf(cc)	0.1	0.1		Bi-Carbonate				
Pm(cc)	1.9	1.8		Lime				
Mf(cc)	0.3	0.2		Defoamer 30C				
Cl (mg/l)	70,100	72,800		Telnite GXL				
Sand Content(%)	0.1	0.2		Tel-DD				
Oil Content(% Vol.)	0	0		Caustic soda				
Solid Content(% Vol.)	7	7		Lignite NC				
M.B.C.(cc/cc.mud)	1.00	1.00		Astex S				
Temperature(in/out cent.)	13	14	19	Tel Stop G				
HT-HP Filtrate(cc)				Tel Stop P				
HT-HP Filtrate Cake(mm)				Tel Mica C				
K' (mg/l)	28,100	29,300		Tel Mica M				
Ca ⁺⁺ /Mg ⁺⁺ (mg/l)	80	80 0		Tel Mica F				
n Value(600rpm/300rpm)	0.56	0.55	0.46	Tel Plug C				
k Value(600rpm/300rpm)	2.58	1.66	9.10	Tel Plug M				
LGS/Drill Solids(% Vol.)	1.1 0.5	0.9 0.4		Tel Plug F				
				Tan Cal M				
				Tan Cal F				
				Tan Cal FF				
				EZ Spot (gal/drm)				
				Speeder P				
				Speeder X				

VG METER READING							
Time	Temp	600rpm	300rpm	200rpm	100rpm	6rpm	3rpm
4:30		127	86	69	47	11	8
16:00	15 49	120 73	82 50	66 40	45 28	11 6	7 4
20:30		217	158	133	96	26	19

Well Summary

BOP pressure test. BOP function test. Release WBRRT from WB at well head. POOH. Lay out WBRRT and jetting sub. Pressure test on lower IBOP and upper IBOP. Make up and RIH 12-1/4" drill out cement BHA.


Made 39m3 of Hivis mud.
Today's lost mud --m3. (Total 481m3).

On hand and Remarks

1.11sg KNPP mud : 470m3 @Re#1, Re#2 and Re#3
1.16sg Hi-vis mud : 50m3 @Act#1
1.13sg 20%LCM mud :24m3 @Act#3

Shale Shaker							De-Sander		Mud Cleaner		Centrifuge		
No.	#.1	#.2	#.3	#.4	#.5	#.6	#.1	#.2	#.1	#.2	#.1	#.2	#.3
Top	10	10	10	10	10	10							
Btm1	84	84	84	84	84	84					OFF	OFF	OFF
Btm2	84	84	84	84	84	84							

Daily Cost	
Total Cost	



BALLAST REPORT(Off Shore)

NO. 36

Well Name C0002N (NT3-01)

DATE 24, Nov, 13

TIME 24:00

Active Tank

Tank Name	Status	M/W	Vol.	Monitor	Lo Limit	Remarks
Active #1	Hi-Vis mud	1.16sg	50.0KL			
Active #2	Empty					
Active #3	20%LCM mud	1.13sg	24.0KL			
Active #4	KNPP	1.13sg	50.0KL			Circ mud(Active)
Active #5	KNPP	1.13sg	38.0KL			Circ mud
Active #6	Empty					
Chemical	SW	1.03sg	20.0KL			
Slug	Slug mud	1.30sg	5.0KL			

Chemical Tank


Tank Name	Status	Weight	Monitor
Storage #1	Barite	134,000kg	
Storage #2	Barite	60,000kg	
Storage #3	Barite		
Storage #4	Barite		
Storage #5	Bentonite	0kg	
Storage #6	Bentonite		
Daily Tank#1	Bentonite	10,000kg	
Daily Tank #2	Barite	5,200kg	
Bar/Surge #1	Barite	2,000kg	
Bar/Surge #2	Barite	3,300kg	
Gel/Surge #2	Bentonite	800kg	

Chemical Tank Total WT 215.3 ton

Reserve Tank & Solid Control Tank

Tank Name	Status	M/W	Vol.	Monitor	Lo Limit	Remarks
Reserve #1	KNPP	1.11sg	170.0KL			
Reserve #2	KNPP	1.11sg	180.0KL			
Reserve #3	KNPP	1.11sg	120.0KL			
Reserve #4	SW	1.03sg	23.0KL			
Reserve #5	Return SW	1.03sg	96.0KL			
Reserve #6	Empty					
Reserve #7	Empty					
Reserve #8	Dirty SW	1.03sg	135.0KL			
Sand Trap	KNPP	1.13sg	10.0KL			
Degasser	KNPP	1.13sg	10.0KL			
Desander	KNPP	1.13sg	10.0KL			
Desilter	KNPP	1.13sg	10.0KL			
Soli/con CF	KNPP	1.13sg	10.0KL			
Mud Return	KNPP	1.13sg	10.0KL			
Barite Rec CF	Drill water	1.00sg				

Mud Tank Total WT 1062.8 ton



Bulk Material

Unit(kg)

Materials Name	Receive	Total Receive	Use	Total Use	On Hand	Remarks
Tel-Bar		263,240	1,500	58,740	204,500	
Kunigel VO (Bulk)		29,460		18,660	10,800	

Total SX ROOM Weight 93.7 ton

Total Weight 1,371.8 ton

Made by : *H.ito*