

Drilling Mud Report(Off Shore)

Engineer **K.Mori**
H. Ito

No. **78**

Date **5, January, 2014**

TOTAL Depth(MSL) **4,412.5m**

Company **MOJ**

Well Name **C0002P (NT3-01)**

BRT Depth: **4,441.0 m**, SSL Depth: **2,473.5 m**

Casing Program		Mud Volume & Bit Data		Pump Data		String Data		Circulation Data (min)	
Conductor	36 in 2,121.5 m	Riser Vol. (m ³)	392	Pump No.1 (l/st)	19.45	DP Size (in)	5	Surface to Bit	11
Intermediate	20 in 2,827.8 m	CSG Vol. (m ³)	154	Pump No.2 (l/st)	19.45	DC1 Size (in)	8.5	Bottom's Up	121
Intermediate	13.375 in 3,976.5 m	B/Hole Vol. (m ³)	55	Pump No.3 (l/st)	19.45	DC2 Size (in)		Surf to Surf	132
Intermediate	in m	Disp Vol. (m ³)	21	P/Speed No.1 (spm)	93	A/Vel DP (m/min)	38	System Total	160
Intermediate	in m	T/Circ Vol. (m ³)	680	P/Speed No.2 (spm)	93	A/Vel DC1(m/min)	49	P/ Press(Mpa)	33.8
Intermediate	in m	Pit Vol. (m ³)	100	P/Speed No.3 (spm)	88	A/Vel Rise(ft/min)			
Production	in m	Bit Size (inch)	14.5	Rate (gal/min)	1,366				

Mud Type:	KNPP	Mud Properties				Materials Name		Daily Amount	Total Amount	Daily Cost
Time (Sampling : Suction)	4:00	14:30			Tel-Bar			315,700		
Depth (m)	3922	4378	Hivis		Kunigel VO (Bulk)					
Mud Weight (SG/PPG)	1.32	11.0	1.32	11.0	1.32	11.0				
Funnel Viscosity(sec./qt.)	108	112	300		NaCl					
A.V(cps) at /49 cent.	70	76 /42.5	110		KCL					
P.V(cps)	43	46 / 25	61		Tel-Polymer DX					
Y.V(lb/100ft ²)	54	60 / 35	98		Tel-Polymer L					
10"Gel(lb/100ft ²)	10	11 / 6	20		Tel-Polymer H					
10'Gel(lb/100ft ²)	14	16 / 16	27		XCD-Polymer					
API Filtrate(cc/30min.)	2.5	2.6			Soda Ash					
Cake Thickness(mm)	0.5	0.5			Caustic potash					
pH(-)	11.0	11.2	11.0		Clean Lube					
Pf(cc)	0.2	0.2			Tel Clean					
Pm(cc)	2.8	2.8			Bi-Carbonate					
Mf(cc)	0.4	0.4			Lime					
Cl (mg/l)	117,200	117,200			Defoamer 30C					
Sand Content(%)	0.2	0.2			Telnite GXL					
Oil Content(% Vol.)	0	0			Tel-DD					
Solid Content(% Vol.)	15	15			Caustic soda					
M.B.C.(cc/cc.mud)	1.75	1.75			Lignite NC					
Temperature(in/out cent.)	13	10	12	11	16					
HT-HP Filtrate(cc)					Astex S					
HT-HP Filtrate Cake(mm)					Xanvis					
K' (mg/l)	31,200	32,400			Tel Stop G					
Ca ⁺⁺ /Mg ⁺⁺ (mg/l)	80	80	0			Tel Stop P				
n Value(600rpm/300rpm)	0.53	0.50	0.47		Tel Mica C					
k Value(600rpm/300rpm)	3.58	2.62	8.57		Tel Mica M					
LGS/Drill Solids(% Vol.)	3.1	2.2	3.1	2.1		Tel Mica F				
					Tel Plug C					
					Tel Plug M					
					Tel Plug F					
					Tan Cal M					
					Tan Cal F					
					Tan Cal FF					
					EZ Spot (gal/drm)					
					Speeder P					
					Speeder X					
					Treat HS					

VG METER READING							
Time	Temp	600rpm	300rpm	200rpm	100rpm	6rpm	3rpm
4:00		140	97	78	54	14	10
14:30	15 49	152 85	106 60	85 49	59 34	14 8	10 5
		220	159	138	99	25	19

Well Summary

Continue circulation. Made short trip. POOH to 3,940m. No abnormal drag observed. Ream up from 3940m to 3919m. Ream down from 3919m to 4348m. Open 12-1/4" hole to 14-1/2" hole from 4348m to 4,441m. Pump 10m3 of hi-vis mud every stand.

Run Centrifuge No.1 (11:00 - 15:30)


Added 150kg of Caustic potash into circulation mud. Made 20m3 of Hivis mud.

On hand and Remarks

1.13sg KNPP mud : 44m3 @Re#2
1.28sg KNPP(Circ) mud: 173m3 @Re#3
1.28sg dilution mud : 50m3 @Act#2
1.32sg Hi-vis mud : 30m3 @Act#6
1.13sg 20%LCM mud :24m3 @Act#3 Today's lost mud --m3. (Total 496m3).

Shale Shaker						De-Sander		Mud Cleaner		Centrifuge			
No.	#.1	#.2	#.3	#.4	#.5	#.6	#.1	#.2	#.1	#.2	#.1	#.2	#.3
Top	10	10	10	10	10	10							
Btm1	200	200	200	200	200	200					OFF	OFF	OFF
Btm2	200	200	200	200	200	200							

Daily Cost	
Total Cost	



MATERIALS REPORT

NO. 78

Well Name C0002P (NT3-01)


DATE 5. Jan. 14

TIME 24:00

Status of Bulk Tank

Tank Name	Materials	RCV/Slide	Used	On Hand	Remarks
Storage #1	Barite			0kg	
Storage #2	Barite			61,000kg	
Storage #3	Barite			41,000kg	
Storage #4	Barite				
Storage #5	Bentonite			0kg	
Storage #6	Bentonite				


Tank Name	Materials	RCV/Slide	Used	On Hand	Remarks
D/Tank #1	Bentonite			10,000kg	
D/Tank #2	Barite			31,000kg	
Bar/Surge #1	Barite			2,000kg	
Bar/Surge #2	Barite			7,000kg	
Gel Surge	Bentonite			800kg	



Total Bulk Tank W.T. 152,800kg

(Unit : kg)

Materials Name	Unit Price	Receive	T/Receive	B/Load	TTL B/Load	Used	Total Used	Cost	On Hand	Remarks
Tel-Bar	41,000		457,700				315,700		142,000	
Kunigel VO (Bulk)	47,500		29,460				18,660		10,800	
NaCL	40,000		200,000				184,000		16,000	
KCL	150,000		185,000				177,000		8,000	
Tel-Polymer DX	1,150,000		32,360			20	27,440	23,000	4,920	
Tel-Polymer L	1,550,000		19,120			180	17,200	279,000	1,920	
Tel-Polymer H	1,550,000		7,080				5,620		1,460	
XCD-Polymer	2,500,000		6,400			25	6,250	62,500	150	
Soda Ash	90,000		7,625				6,225		1,400	
Caustic potash	406,800		7,275			150	5,575	61,020	1,700	
Clean Lube	550,000		121,600				116,000		5,600	
Tel Clean	900,000		10,400				9,600		800	
Bi-Carbonate	150,000		3,000				2,000		1,000	
Lime	41,600		1,400				160		1,240	
Defoamer 30C	3,250,000		224				32		192	
Telnite GXL	3,900,000		54				18		36	
Tel-DD	640,000		3,200						3,200	
Caustic soda	150,000		1,000				200		800	
Lignate NC	377,000		2,000						2,000	
Astex S	1,250,000		16,600				15,800		800	
Xanvis	2,500,000		700						700	
Tel Stop G	240,000		500						500	
Tel Stop P	240,000		1,000						1,000	
Tel Mica C	450,000		500						500	
Tel Mica M	450,000		2,000				1,000		1,000	
Tel Mica F	450,000		2,500				1,500		1,000	
Tel Plug C	350,000		500						500	
Tel Plug M	350,000		1,980				780		1,200	
Tel Plug F	350,000		1,980				1,000		980	
Tan Cal M	40,000		7,680				3,450		4,230	
Tan Cal F	40,000		7,680				3,180		4,500	
Tan Cal FF	70,000									
EZ Spot (gal/drm)	85,800		550						550	#85,800/drm
Speeder P	820,000		1,700						1,700	
Speeder X	870,000		1,700						1,700	
Treat HS	800,000		2,160						2,160	



BALLAST REPORT(Off Shore)

NO. 78

Well Name C0002P (NT3-01)

DATE 5, Jan, 14

TIME 24:00

Active Tank

Tank Name	Status	M/W	Vol.	Monitor	Lo Limit	Remarks
Active #1	KNPP	1.32sg	21.0KL			Circ mud
Active #2	KNPP	1.28sg	50.0KL			Dilution mud
Active #3	20%LCM mud	1.13sg	24.0KL			
Active #4	KNPP	1.32sg	50.0KL			Circ mud
Active #5	KNPP	1.32sg	50.0KL			Circ mud
Active #6	Hi-Vis mud	1.32sg	30.0KL			
Chemical	Seawater	1.03sg	13.0KL			
Slug	Slug mud	1.56sg	10.0KL			

Chemical Tank


Tank Name	Status	Weight	Monitor
Storage #1	Barite	0kg	
Storage #2	Barite	61,000kg	
Storage #3	Barite	41,000kg	
Storage #4	Barite		
Storage #5	Bentonite	0kg	
Storage #6	Bentonite		
Daily Tank#1	Bentonite	10,000kg	
Daily Tank #2	Barite	31,000kg	
Bar/Surge #1	Barite	2,000kg	
Bar/Surge #2	Barite	7,000kg	
Gel/Surge #2	Bentonite	800kg	

Chemical Tank Total WT 152.8 ton

Reserve Tank & Solid Control Tank

Tank Name	Status	M/W	Vol.	Monitor	Lo Limit	Remarks
Reserve #1	Empty					
Reserve #2	KNPP	1.13sg	44.0KL			
Reserve #3	KNPP	1.28sg	173.0KL			
Reserve #4	Empty					
Reserve #5	Empty					
Reserve #6	Empty					
Reserve #7	Empty					
Reserve #8	Empty					
Sand Trap	KNPP	1.32sg	10.0KL			
Degasser	KNPP	1.32sg	10.0KL			
Desander	KNPP	1.32sg	10.0KL			
Desilter	KNPP	1.32sg	10.0KL			
Soli/con CF	KNPP	1.32sg	10.0KL			
Mud Return	KNPP	1.32sg	10.0KL			
Barite Rec CF	Drill water	1.00sg				

Mud Tank Total WT 669.8 ton



Bulk Material

Unit(kg)

Materials Name	Receive	Total Receive	Use	Total Use	On Hand	Remarks
Tel-Bar		457,700		315,700	142,000	
Kunigel VO (Bulk)		29,460		18,660	10,800	

Total SX ROOM Weight 67.9 ton

Total Weight 890.5 ton

Made by : H. Ho