



# IODP-MSP (Exp. 364) VISUAL SECTION UNIT DESCRIPTION

Exp. 364	Site 77	Hole A	Core 117	Type R	Section 1
-------------	------------	-----------	-------------	-----------	--------------

Date 7/10/16	Time 15:59	Observers VK, XL, DK
-----------------	---------------	-------------------------

[cm]	Image	Unit #	Lithology	Veins and Alteration	Structures	Disturbance	Core	CT	Description
<div style="display: flex; flex-direction: column; align-items: center;"> <div style="margin-bottom: 5px;">0</div> <div style="margin-bottom: 5px;">5</div> <div style="margin-bottom: 5px;">10</div> <div style="margin-bottom: 5px;">15</div> <div style="margin-bottom: 5px;">20</div> <div style="margin-bottom: 5px;">25</div> <div style="margin-bottom: 5px;">30</div> <div style="margin-bottom: 5px;">35</div> <div style="margin-bottom: 5px;">40</div> <div style="margin-bottom: 5px;">45</div> <div style="margin-bottom: 5px;">50</div> <div style="margin-bottom: 5px;">55</div> <div style="margin-bottom: 5px;">60</div> <div style="margin-bottom: 5px;">65</div> <div style="margin-bottom: 5px;">70</div> <div style="margin-bottom: 5px;">75</div> <div style="margin-bottom: 5px;">80</div> <div style="margin-bottom: 5px;">85</div> <div style="margin-bottom: 5px;">90</div> <div style="margin-bottom: 5px;">95</div> <div style="margin-bottom: 5px;">100</div> <div style="margin-bottom: 5px;">105</div> <div style="margin-bottom: 5px;">110</div> <div style="margin-bottom: 5px;">115</div> <div style="margin-bottom: 5px;">120</div> <div style="margin-bottom: 5px;">125</div> <div style="margin-bottom: 5px;">130</div> <div style="margin-bottom: 5px;">135</div> <div style="margin-bottom: 5px;">140</div> <div style="margin-bottom: 5px;">145</div> <div style="margin-bottom: 5px;">150</div> <div style="margin-bottom: 5px;">155</div> <div style="margin-bottom: 5px;">160</div> </div>			<p>IMP</p> <p>Target rock</p> <p>Granite.</p>						<p>color: 7.5 YR. 7/4.</p> <p>CT: dark grey</p> <p>Coarse granite.</p> <p>slightly fractured.</p> <p>47-55 - biotite rich (~5%)</p> <p>inclined SPO in Quartz, feldspar</p> <p>Faults.</p> <p>105 cm</p> <p>S: 260/79, 340/20 (+) 2</p> <p>Green mineralization associated with some biotite crystals.</p>