



CM Scale	SS+TS Sample	Drilling Disturbance	Lithology				Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
			C	ST	SD	G				Nightshift	02/02/15
0									Comments		
2											
4									0-146 cm: silty clay, dark olive gray; with color banding throughout, with greenish gray, horizontal, continuous bands < 1cm thick; laminated, with horizontal to slightly bowed, continuous, silty laminae ≤ 5mm thick at spacings 1.5-23 cm from 42-43 cm: oval glauconitic patch ≤ 1cm		
6											
8											
10						0					
12											
14											
16											
18											
20											
22											
24											
26											
28											
30											
32											
34											
36											
38											
40											
42											
44											
46											
48											
50											
52											
54											
56											
58											
60											
62											
64											
66											
68											
70											
72											
74											
76											
78											
80											
82											
84											
86											
88											
90											
92											
94											
96											
98											
100											
102											
104											
106											
108											
110											
112											
114											
116											
118											
120											
122											
124											
126											
128											
130											
132											
134											
136											
138											
140											
142											
144											
146											
148											
150											
152											

IW







CM Scale	SS+TS Sample	Drilling Disturbance	Lithology				Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Metadata	
			C	ST	SD	G				Logged By: Night Shift	Date: 2/2/2019
0									Comments		
2						4	↑ ↓	0	0-33cm: massive greenish gray bioturbated silty clay		
4					0			- Some dispersed sand grains and granules			
6					0			34, 46, 52, 55 cm: silt laminae			
8					0						
10						3	↑ ↓	0	33cm: gradational contact with dark gray clay		
12					0			33-150cm: dark gray clay with few silt laminae			
14					0						
16					0						
18					0			65cm: green clayey pod (glauconite?)			
20					1			72cm: small pebble			
22					0						
24					0						
26					0						
28					0						
30					0						
32					0						
34						-		0			
36					0						
38					0						
40					0						
42					0						
44					0						
46					0						
48					0						
50					0						
52					0						
54					0						
56					0						
58					0						
60					0						
62					0						
64					0						
66					0						
68					0						
70					0						
72					0						
74					0						
76					0						
78					0						
80					0						
82					0						
84					0						
86					0						
88					0						
90					0						
92					0						
94					0						
96					0						
98					0						
100					0						
102					0						
104					0						
106					0						
108					0						
110					0						
112					0						
114					0						
116					0						
118					0						
120					0						
122					0						
124					0						
126					0						
128					0						
130					0						
132					0						
134					0						
136					0						
138					0						
140					0						
142					0						
144					0						
146					0						
148					0						
150					0						
152					0						

CM Scale

None

34

55

139



CM Scale	SS+TS Sample	Drilling Disturbance	Lithology				Bioturbation Index 0-4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:	
			c	st	sd	g				Night Shift	2/2/2019	
0	SS-31	None							0	0-11 cm: dark gray clay, structureless		
2									2	11 cm: sharp contact		
4										0	12-14 cm: pebble hole (pebble was assigned to W-half)	
6								4		0	15 cm: pebble, some granules	
8										1	37 cm: pebble	
10											48 cm: silt lamina	
12										0	11-47 cm: greenish gray silty clay with isolated pebbles, massive, bioturbated?	
14										0	ss: silty clay	
16										0	47 cm: gradational contact	
18								2	color banding	0	47-111 cm: olive bioturbated silty clay with weak color banding	
20										0	silt laminae at 89, 97, 108, 110, 112, 126 cm	
22										0		
24										0		
26										0		
28										0		
30								0				
32								0				
34								0				
36								0				
38								0				
40								0				
42								0				
44								0				
46								0				
48								0				
50								0				
52								0				
54								0				
56								0				
58								0				
60								0				
62								0				
64								0				
66								0				
68								0				
70								0				
72								0				
74								0				
76								0				
78								0				
80								0				
82								0				
84								0				
86								0				
88								0				
90								0				
92								0				
94								0				
96								0				
98								0				
100								0				
102								0				
104								0				
106								0				
108								0				
110								0				
112								0				
114								0				
116								0				
118								0				
120								0				
122								0				
124								0				
126								0				
128								0				
130								0				
132								0				
134								0				
136								0				
138								0				
140								0				
142								0				
144								0				
146								0				
148								0				
150								0				
152								0				

IW









CM Scale	SS+TS Sample	Drilling Disturbance	Lithology				Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
			c	ST	SD	G				Night Shift	2/2/2019
										Comments	
0		[Hand-drawn disturbance symbol]	[Hand-drawn lithology symbol]	[Hand-drawn lithology symbol]	[Hand-drawn lithology symbol]	[Hand-drawn lithology symbol]	[Hand-drawn sedimentary structures symbol]	[Hand-drawn sedimentary structures symbol]	∅	0-31cm: greenish gray silty clay - flow in - margin have darker color	
2									∅		
4									∅		
6											
8											
10											
12											
14											
16											
18											
20											
22											
24											
26											
28											
30											
32		Flow-in									
34											
36											
38											
40											
42											
44											
46											
48											
50											
52											
54											
56											
58											
60											
62											
64											
66											
68											
70											
72											
74											
76											
78											
80											
82											
84											
86											
88											
90											
92											
94											
96											
98											
100											
102											
104											
106											
108											
110											
112											
114											
116											
118											
120											
122											
124											
126											
128											
130											
132											
134											
136											
138											
140											
142											
144											
146											
148											
150											
152											

PAL