

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology				Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
			C	ST	SD	G				Night Shift	2/5/2019
0									Comments 109-150 cm: dark gray laminated biossiliceous-beamy mud - mm-scale <sup>silt</sup> laminations top of section is heavily disturbed by drilling		
2											
4											
6											
8											
10											
12											
14											
16											
18											
20											
22											
24											
26											
28											
30											
32											
34											
36											
38											
40											
42											
44											
46											
48											
50											
52											
54											
56											
58											
60											
62											
64											
66											
68											
70											
72											
74											
76											
78											
80											
82											
84											
86											
88											
90											
92											
94											
96											
98											
100											
102											
104											
106											
108											
110											
112											
114											
116											
118											
120											
122											
124											
126	SS										
128											
130											
132											
134											
136											
138											
140											
142											
144											
146											
148											
150											
152											

brecciated and deformed

SS 126.5cm: light-colored laminae are silt



0

SS



CM Scale  
 -0  
-2  
-4  
-6  
-8  
-10  
-12  
-14  
-16  
-18  
-20  
-22  
-24  
-26  
-28  
-30  
-32  
-34  
-36  
-38  
-40  
-42  
-44  
-46  
-48  
-50  
-52  
-54  
-56  
-58  
-60  
-62  
-64  
-66  
-68  
-70  
-72  
-74  
-76  
-78  
-80  
-82  
-84  
-86  
-88  
-90  
-92  
-94  
-96  
-98  
-100  
-102  
-104  
-106  
-108  
-110  
-112  
-114  
-116  
-118  
-120  
-122  
-124  
-126  
-128  
-130  
-132  
-134  
-136  
-138  
-140  
-142  
-144  
-146  
-148  
-150  
-152

SS+TS Sample	Drilling Disturbance	Lithology				Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
		C	ST	SD	G				Night shift	5/2/18
								Comments: Mightily disturbed		
	flow in					structures relate to drilling disturbance		0-106 Dark gray biosilicious bearing mud		



CM Scale	SS+TS Sample	Drilling Disturbance	Lithology				Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
			C	ST	SD	G				Comments	Night shift
0											
2											
4											
6											
8											
10											
12											
14											
16											
18											
20											
22											
24											
26											
28											
30											
32											
34											
36											
38											
40											
42											
44											
46											
48											
50											
52											
54											
56											
58											
60											
62											
64											
66											
68											
70											
72											
74											
76											
78											
80											
82											
84											
86											
88											
90											
92											
94											
96											
98											
100											
102											
104											
106											
108											
110											
112											
114											
116											
118											
120											
122											
124											
126											
128											
130											
132											
134											
136											
138											
140											
142											
144											
146											
148											
150											
152											

PAL

Highly disturbed  
0-34 cm Dark gray  
biosilicious bearing mud