

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology				Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
			C	ST	SD	G				Day Shift	2-5-19
0	SS 6cm									<p>0-8 cm Dark greenish gray silty clay (thinly laminated)</p> <p>8-134 cm dark gray silty clay (thinly laminated)</p>	
2											
4											
6											
8											
10											
12											
14											
16											
18											
20											
22											
24											
26											
28											
30											
32											
34											
36											
38											
40											
42											
44											
46											
48								0			
50											
52											
54											
56											
58											
60											
62											
64											
66											
68											
70											
72											
74											
76	SS 77 cm										
78											
80											
82											
84											
86											
88											
90											
92											
94											
96											
98											
100											
102											
104											
106											
108											
110											
112											
114											
116											
118											
120											
122											
124											
126											
128											
130											
132											
134											
136											
138											
140											
142											
144											
146											
148											
150											
152											

slight bowing

8

↑

0






↓

NBIO

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
							Day shift	2-5-19
Comments								
0)						0-120 Dark gray silty clay thinly laminated 0-34 cm
2)						
4)						
6)						
8)						
10)						
12)						
14)						
16)						
18)						
20)						
22)						
24)						
26)						
28)						
30)						
32)						
34)						
36)						
38)						
40)						
42)						
44)	42.5					
46)						
48)						
50)						
52)						
54)						
56)						
58)						
60)						
62)						
64)						
66)						
68)						
70)						
72)						
74)						
76)						
78)						
80)						
82)						
84)						
86)						
88)						
90)						
92)						
94)						
96)						
98)						
100)						
102)						
104)						
106)						
108)						
110)						
112)						
114)						
116)						
118)						
120)						
122)						
124)						
126)						
128)						
130)						
132)						
134)						
136)						
138)						
140)						
142)						
144)						
146)						
148)						
150)						
152)						

CM Scale

- 0
- 2
- 4
- 6
- 8
- 10
- 12
- 14
- 16
- 18
- 20
- 22
- 24
- 26
- 28
- 30
- 32
- 34
- 36
- 38
- 40
- 42
- 44
- 46
- 48
- 50
- 52
- 54
- 56
- 58
- 60
- 62
- 64
- 66
- 68
- 70
- 72
- 74
- 76
- 78
- 80
- 82
- 84
- 86
- 88
- 90
- 92
- 94
- 96
- 98
- 100
- 102
- 104
- 106
- 108
- 110
- 112
- 114
- 116
- 118
- 120
- 122
- 124
- 126
- 128
- 130
- 132
- 134
- 136
- 138
- 140
- 142
- 144
- 146
- 148
- 150
- 152

	SS+TS Sample	Drilling Disturbance	Lithology				Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts		Logged By:	Date:
			C	ST	SD	G			>4mm	less than #10	Day Shift	2-5-19
Comments												
0							↑		↑		0-50cm Dark gray silty clay	
-2							0		↑	○		
-4		heavy					↓	↓				
-6		suck							↑			○
-8		in					↓	↓				
-10		↓							↑			○

