


CM Scale	SS+TS Sample	Drilling Disturbance	Lithology c st sd g	Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
							Comments	
0								2-6-19
2							0-151 cm	
4							Dark gray silty clay	
6							finely laminated	
8							grawle: 63cm	
10								
12								
14								
16								
18								
20								
22								
24								
26								
28								
30		mod.						
32		biscuits						
34								
36								
38								
40								
42								
44								
46								
48								
50								
52								
54								
56								
58								
60								
62							Fracture spacing between	
64							1 and 4 cm	
66						0		
68								
70								
72								
74								
76								
78								
80								
82								
84								
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108							SS is barren	
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								



SS
103
cm

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology				Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts		Logged By:	Date:
			c	st	sd	g			>4mm	less than #10	Day Shift	2-6-19
0												<p>0-151 Dark gray silty clay thickly laminated</p>
-2												
-4												
-6												
-8												
-10												
-12												
-14												
-16												
-18												
-20												
-22												
-24												
-26												
-28												
-30												
-32												
-34												
-36												
-38												
-40												
-42												
-44												
-46												
-48												
-50												
-52												
-54												
-56												
-58												
-60												
-62												
-64												
-66												
-68												
-70												
-72												
-74												
-76												
-78												
-80												
-82												
-84												
-86												
-88												
-90												
-92												
-94												
-96												
-98												
-100												
-102												
-104												
-106												
-108												
-110												
-112												
-114												
-116												
-118												
-120												
-122												
-124												
-126												
-128												
-130												
-132												
-134												
-136												
-138												
-140												
-142												
-144												
-146												
-148												
-150												
-152												

mod. biscuits

fracture spacing between 1-3 cm

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By: Day Shift	Date: 2-6-19
							Comments	
0								
2								
4								
6								
8								
10								
12								
14								
16								
18								
20								
22								
24								
26								
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48								
50								
52								
54								
56								
58								
60								
62								
64								
66								
68								
70								
72								
74								
76								
78								
80								
82								
84								
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								

CM Scale

SS+TS Sample

Drilling Disturbance

Lithology

C ST SD G

Bioturbation Index 0 - 4

Sedimentary Structures

Pebble Counts
>4mm
less than #10

Logged By:
Day Shift

Date:
2-6-19

Comments

0-136 cm
Dark gray silty clay
thinly laminated

med
bioturb

SS
67
cm

SS is barren

drilling disturbance -
closely spaced fractures
1-4 cm spacing

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
							Day shift	2-6-19
								Comments
0								Dark gray silty clay thinly laminated fracture spacing 1-2cm
2						↑		
4						○		
6		Mod						
8								
10								
12		biscuits		0				
14								
16								
18								
20						↓		
22								
24								
26								
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48								
50								
52								
54								
56								
58								
60								
62								
64								
66								
68								
70								
72								
74								
76								
78								
80								
82								
84								
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								

PAL