


CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
							JPK / EAC	2-16-19
							Comments	
0							Dark greenish gray Silty clay thinly laminated	
2								
4								
6								
8								
10								
12								
14								
16								
18								
20								
22								
24								
26								
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48								
50								
52								
54								
56								
58								
60								
62								
64								
66								
68								
70								
72								
74								
76								
78								
80								
82								
84								
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								




fall in

+21cm

moderate biscutting



CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
							JPK/EAC	2-16-19
0							Comments 0-150cm Dark greenish gray Silty clay finly laminated	
2								
4								
6								
8								
10								
12								
14		heavy						
16								
18								
20								
22								
24								
26								
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48		mod						
50		biscuits						
52								
54								
56						0		
58								
60								
62								
64								
66								
68								
70								
72								
74								
76								
78								
80								
82								
84								
86		heavy						
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								




CS
112
cm

Slight
biscuit

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By: JPK/EAC	Date: 2-16-19
							Comments	
0							Dark greenish gray silty clay thinly laminated	
2								
4								
6								
8								
10								
12								
14								
16								
18								
20								
22								
24								
26	Slight			↑	↑			
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48	49 cm							
50								
52				0	0			
54								
56								
58								
60								
62	mod							
64								
66								
68								
70								
72								
74								
76								
78								
80								
82								
84								
86								
88								
90								
92	92 cm							
94								
96								
98								
100								
102								
104								
106								
108								
110								
112	Slight							
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By: JPK/EAC	Date: 2-16-19
							Comments	
0							Dark greenish gray silty clay thinly laminated	
-2								
-4								
-6								
-8								
-10								
-12								
-14								
-16								
-18								
-20								
-22								
-24								
-26								
-28								
-30								
-32								
-34								
-36								
-38								
-40								
-42								
-44								
-46								
-48								
-50	mod							
-52	biscuit							
-54								
-56								
-58					0			
-60								
-62								
-64								
-66								
-68								
-70								
-72								
-74								
-76								
-78								
-80								
-82								
-84								
-86								
-88								
-90								
-92								
-94								
-96								
-98								
-100								
-102								
-104								
-106								
-108	-107							
-110								
-112								
-114								
-116								
-118								
-120								
-122								
-124	Slight							
-126								
-128								
-130								
-132								
-134								
-136								
-138								
-140								
-142								
-144								
-146								
-148								
-150								
-152								

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0-4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By: JPK/EAC	Date: 2-16-19
							Comments	
0		heavy biscuit					0-108 cm Dark greenish gray silty clay thinly laminated	
2								
4							45-50 cm Traces of biosiliceous material, slightly bioturbated	
6								
8							33 cm V. dark gray pyritic lense (?)	
10								
12				0				
14								
16								
18								
20								
22								
24								
26								
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48								
50								
52								
54								
56								
58								
60								
62								
64								
66								
68								
70								
72								
74								
76								
78								
80								
82								
84								
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								



CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By: JPK/EAC	Date: 2-16-19
							Comments	
0								
2								
4								
6								
8								
10								
12								
14								
16								
18								
20								
22								
24								
26								
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48								
50								
52								
54								
56								
58								
60								
62								
64								
66								
68								
70								
72								
74								
76								
78								
80								
82								
84								
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								



Suck in 2

↑
0
↓

Horizontal lines
Wavy lines

↑
0
↓

Dark greenish gray silty clay thinly laminated