

| CM Scale | SS+TS Sample | Drilling Disturbance | Lithology | | | | Bioturbation Index 0 - 4 | Sedimentary Structures | Pebble Counts >4mm less than #10 | Logged By: | Date: |
|----------|--------------|----------------------|-----------|----|----|---|--------------------------|------------------------|--|------------|---------|
| | | | C | ST | SD | G | | | | JK | 2-15-19 |
| Comments | | | | | | | | | | | |
| 0 | | | | | | | | | | | |
| 2 | | | | | | | | | | | |
| 4 | | | | | | | | | | | |
| 6 | | | | | | | | | | | |
| 8 | | | | | | | | | | | |
| 10 | | | | | | | | | | | |
| 12 | | | | | | | | | | | |
| 14 | | | | | | | | | | | |
| 16 | | | | | | | | | | | |
| 18 | | | | | | | | | | | |
| 20 | | | | | | | | | | | |
| 22 | | | | | | | | | | | |
| 24 | | | | | | | | | | | |
| 26 | | | | | | | | | | | |
| 28 | | | | | | | | | | | |
| 30 | | | | | | | | | | | |
| 32 | | | | | | | | | | | |
| 34 | | | | | | | | | | | |
| 36 | | | | | | | | | | | |
| 38 | | | | | | | | | | | |
| 40 | | | | | | | | | | | |
| 42 | | | | | | | | | | | |
| 44 | | | | | | | | | | | |
| 46 | | | | | | | | | | | |
| 48 | | | | | | | | | | | |
| 50 | | | | | | | | | | | |
| 52 | | | | | | | | | | | |
| 54 | | | | | | | | | | | |
| 56 | | | | | | | | | | | |
| 58 | | | | | | | | | | | |
| 60 | | | | | | | | | | | |
| 62 | | | | | | | | | | | |
| 64 | | | | | | | | | | | |
| 66 | | | | | | | | | | | |
| 68 | | | | | | | | | | | |
| 70 | | | | | | | | | | | |
| 72 | | | | | | | | | | | |
| 74 | | | | | | | | | | | |
| 76 | | | | | | | | | | | |
| 78 | | | | | | | | | | | |
| 80 | | | | | | | | | | | |
| 82 | | | | | | | | | | | |
| 84 | | | | | | | | | | | |
| 86 | | | | | | | | | | | |
| 88 | | | | | | | | | | | |
| 90 | | | | | | | | | | | |
| 92 | | | | | | | | | | | |
| 94 | | | | | | | | | | | |
| 96 | | | | | | | | | | | |
| 98 | | | | | | | | | | | |
| 100 | | | | | | | | | | | |
| 102 | | | | | | | | | | | |
| 104 | | | | | | | | | | | |
| 106 | | | | | | | | | | | |
| 108 | | | | | | | | | | | |
| 110 | SS.1 | | | | | | | | | | |
| 112 | | | | | | | | | | | |
| 114 | | | | | | | | | | | |
| 116 | | | | | | | | | | | |
| 118 | | | | | | | | | | | |
| 120 | | | | | | | | | | | |
| 122 | | | | | | | | | | | |
| 124 | | | | | | | | | | | |
| 126 | | | | | | | | | | | |
| 128 | | | | | | | | | | | |
| 130 | | | | | | | | | | | |
| 132 | | | | | | | | | | | |
| 134 | | | | | | | | | | | |
| 136 | | | | | | | | | | | |
| 138 | | | | | | | | | | | |
| 140 | | | | | | | | | | | |
| 142 | | | | | | | | | | | |
| 144 | | | | | | | | | | | |
| 146 | | | | | | | | | | | |
| 148 | | | | | | | | | | | |
| 150 | | | | | | | | | | | |
| 152 | | | | | | | | | | | |

0-150 Dark gray ~~silty~~ clay -
Thinly laminated
⊖ - 11 cm Very disturbed (fall-in)
11-150 cm Moderate disturbance
(biscuiting)

SS#1, G-R1-1A-111cm (silt < 10%)



| CM Scale | SS+TS Sample | Drilling Disturbance | Lithology | | | | Bioturbation Index 0 - 4 | Sedimentary Structures | Pebble Counts >4mm less than #10 | Logged By: | Date: |
|----------|--------------|----------------------|-----------|----|----|---|--------------------------|------------------------|---|------------|---------|
| | | | C | ST | SD | G | | | | JK | 2-15-19 |
| Comments | | | | | | | | | | | |
| 0 | | | | | | | | | 0-131 Dark gray clay, thin Thinly laminated. | | |
| 2 | | | | | | | | | Mod. disturbance: biscuiting | | |
| 4 | | | | | | | | | | | |
| 6 | | | | | | | | | | | |
| 8 | | | | | | | | | | | |
| 10 | | | | | | | | | | | |
| 12 | | | | | | | | | | | |
| 14 | | | | | | | | | | | |
| 16 | | | | | | | | | | | |
| 18 | | | | | | | | | | | |
| 20 | | | | | | | | | | | |
| 22 | | | | | | | | | | | |
| 24 | | | | | | | | | | | |
| 26 | | ↑ | | | | | | | | | |
| 28 | | | | | | | | | | | |
| 30 | | | | | | | | | | | |
| 32 | | | | | | | | | | | |
| 34 | | | | | | | | | | | |
| 36 | | | | | | | | | | | |
| 38 | | | | | | | | | | | |
| 40 | | — | | | | | | | | | |
| 42 | | | | | | | | | | | |
| 44 | | | | | | | | | | | |
| 46 | | ⊙ | | | | | | | | | |
| 48 | | | | | | | | | | | |
| 50 | | | | | | | | | | | |
| 52 | | | | | | | | | | | |
| 54 | | | | | | | | | | | |
| 56 | | ○ | | | | | | | | | |
| 58 | | → | | | | ↑ | ↑ | ↑ | | | |
| 60 | | | | | | ↑ | ↑ | ↑ | | | |
| 62 | | → | | | | ⊙ | ⊙ | ⊙ | | | |
| 64 | | | | | | ⊙ | ⊙ | ⊙ | | | |
| 66 | | → | | | | ⊙ | ⊙ | ⊙ | | | |
| 68 | | | | | | ⊙ | ⊙ | ⊙ | | | |
| 70 | | | | | | ⊙ | ⊙ | ⊙ | | | |
| 72 | | ↓ | | | | ↓ | ↓ | ↓ | | | |
| 74 | | | | | | ↓ | ↓ | ↓ | | | |
| 76 | | ↓ | | | | ↓ | ↓ | ↓ | | | |
| 78 | | | | | | ↓ | ↓ | ↓ | | | |
| 80 | | | | | | ↓ | ↓ | ↓ | | | |
| 82 | | | | | | | | | | | |
| 84 | | | | | | | | | | | |
| 86 | | | | | | | | | | | |
| 88 | | | | | | | | | | | |
| 90 | | | | | | | | | | | |
| 92 | | | | | | | | | | | |
| 94 | | | | | | | | | | | |
| 96 | | | | | | | | | | | |
| 98 | | | | | | | | | | | |
| 100 | | | | | | | | | | | |
| 102 | | | | | | | | | | | |
| 104 | | | | | | | | | | | |
| 106 | | | | | | | | | | | |
| 108 | | | | | | | | | | | |
| 110 | | | | | | | | | | | |
| 112 | | | | | | | | | | | |
| 114 | | | | | | | | | | | |
| 116 | | | | | | | | | | | |
| 118 | | | | | | | | | | | |
| 120 | | | | | | | | | | | |
| 122 | | | | | | | | | | | |
| 124 | | | | | | | | | | | |
| 126 | | | | | | | | | | | |
| 128 | | | | | | | | | | | |
| 130 | | — | | | | | | | | | |
| 132 | | | | | | | | | | | |
| 134 | | | | | | | | | | | |
| 136 | | | | | | | | | | | |
| 138 | | | | | | | | | | | |
| 140 | | | | | | | | | | | |
| 142 | | | | | | | | | | | |
| 144 | | | | | | | | | | | |
| 146 | | | | | | | | | | | |
| 148 | | | | | | | | | | | |
| 150 | | | | | | | | | | | |
| 152 | | | | | | | | | | | |

—

 IW
 NSIO

| CM Scale | SS+TS Sample | Drilling Disturbance | Lithology C ST SD G | Bioturbation Index 0 - 4 | Sedimentary Structures | Pebble Counts >4mm less than #10 | Logged By: | Date: |
|----------|--------------|----------------------|------------------------|--------------------------|------------------------|--|------------|--|
| | | | | | | | JK | 2/15/19 |
| Comments | | | | | | | | |
| 0 | | | | | | | | 0-12 Dark gray clay Thinly laminated, |
| 2 | | | | | | | | |
| 4 | | | | | | | | |
| 6 | | | | | | | | |
| 8 | | | | | | | | |
| 10 | | | | | | | | |
| 12 | | | | | | | | |
| 14 | | | | | | | | |
| 16 | | | | | | | | |
| 18 | | | | | | | | |
| 20 | | | | | | | | |
| 22 | | | | | | | | |
| 24 | | | | | | | | |
| 26 | | | | | | | | |
| 28 | | | | | | | | |
| 30 | | | | | | | | |
| 32 | | | | | | | | |
| 34 | | | | | | | | |
| 36 | | | | | | | | |
| 38 | | | | | | | | |
| 40 | | | | | | | | |
| 42 | | | | | | | | |
| 44 | | | | | | | | |
| 46 | | | | | | | | |
| 48 | | | | | | | | |
| 50 | | | | | | | | |
| 52 | | | | | | | | |
| 54 | | | | | | | | |
| 56 | | | | | | | | |
| 58 | | | | | | | | |
| 60 | | | | | | | | |
| 62 | | | | | | | | |
| 64 | | | | | | | | |
| 66 | | | | | | | | |
| 68 | | | | | | | | |
| 70 | | | | | | | | |
| 72 | | | | | | | | |
| 74 | | | | | | | | |
| 76 | | | | | | | | |
| 78 | | | | | | | | |
| 80 | | | | | | | | |
| 82 | | | | | | | | |
| 84 | | | | | | | | |
| 86 | | | | | | | | |
| 88 | | | | | | | | |
| 90 | | | | | | | | |
| 92 | | | | | | | | |
| 94 | | | | | | | | |
| 96 | | | | | | | | |
| 98 | | | | | | | | |
| 100 | | | | | | | | |
| 102 | | | | | | | | |
| 104 | | | | | | | | |
| 106 | | | | | | | | |
| 108 | | | | | | | | |
| 110 | | | | | | | | |
| 112 | | | | | | | | |
| 114 | | | | | | | | |
| 116 | | | | | | | | |
| 118 | | | | | | | | |
| 120 | | | | | | | | |
| 122 | | | | | | | | |
| 124 | | | | | | | | |
| 126 | | | | | | | | |
| 128 | | | | | | | | |
| 130 | | | | | | | | |
| 132 | | | | | | | | |
| 134 | | | | | | | | |
| 136 | | | | | | | | |
| 138 | | | | | | | | |
| 140 | | | | | | | | |
| 142 | | | | | | | | |
| 144 | | | | | | | | |
| 146 | | | | | | | | |
| 148 | | | | | | | | |
| 150 | | | | | | | | |
| 152 | | | | | | | | |

PAL

