

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0-4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
							SP	2/23/19
							Comments opal-CT in smear slides	
0							0-150 cm: dark gray laminated silty clay	
2						∅		
4								
6								
8								
10								
12								
14								
16								
18								
20								
22								
24								
26								
28								
30								
32								
34								
36								
37	37						↑ 37	
40								
42								
44								
45	45							
46								
48								
50								
52								
54								
56	56							
58								
60							58	
62								
64								
66				0				
68								
70								
72								
74								
76								
78								
80								
82							↑ F ₈₂	
84								
86								
88	88							
90								
92								
94								
96								
97	97							
98								
100								
102								
104								
106								
108								
110								
112								
114							↑ F ₁₁₅	
116								
118								
120								
122								
124							↑ F ₁₂₆	
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146							144	
148								
150	150						↓ 150	

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0-4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
							SP	2/23/19
Comments								
0	7 15	-		1	↑	○	<p>0-93 cm: dark gray laminated silty clay</p> <ul style="list-style-type: none"> - mostly planar laminated - ca. 4mm thick normally graded laminae are common throughout - some scouring where coarser grained laminae overlie finer grained laminae (53, 79cm) <p>28-30cm: some bioturbation, mm-scale burrows</p> <p>53cm: small scow</p> <p>54cm: bioturbation</p> <p>71-72cm: soft-sediment clast and 1 sand grain (black, very angular)</p> <p>75-77cm: package of silt laminae</p> <p>79cm: scoured lamina</p>	
2								
4								
6								
8								
10								
12								
14								
16								
18								
20								
22								
24								
26								
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48								
50								
52								
54								
56								
58								
60								
62								
64								
66								
68								
70								
72								
74								
76								
78								
80								
82								
84								
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0-4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
							SP	2/23/19
								Comments
0								<p>0-68 cm: dark gray laminated silty clay</p> <ul style="list-style-type: none"> - mostly planar laminated - common normally graded laminae - packages of silt laminae, mm-scale at 6-7cm, 60-62cm - 17cm: soft-sediment clast (larger part in W-half)
2								
4								
6								
8								
10								
12								
14								
16								
18								
20								
22								
24								
26								
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48								
50								
52								
54								
56								
58								
60								
62								
64								
66								
68	68							
70								
72								
74								
76								
78								
80								
82								
84								
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
							SP	2/23/19
Comments								
0				0	↑ ↓	∅	0-13cm: dark gray laminated silty clay	
2							- some normally graded laminae	
4							- mostly planar laminated	
6								
8								
10								
12								
14								
16								
18								
20								
22								
24								
26								
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48								
50								
52								
54								
56								
58								
60								
62								
64								
66								
68								
70								
72								
74								
76								
78								
80								
82								
84								
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								

PAL