


CM Scale	SS+TS Sample	Drilling Disturbance	Lithology				Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
			C	ST	SD	G				JPK	02/16/2019
0									<p>0-146 cm: dark greenish gray silty clay thinly laminated</p> <p>45-46cm 2 small lenses pyrite-rich</p> <p>smear slide 84cm Trace sponge spicules</p> <p>82-83cm black pyrite-rich lens</p> <p>83-84cm sandy silt laminae with dispersed coarse sand grains, 1 granule within, 1 pebble found on edge <u>within</u> mud</p> <p>pebbles - plutonic quartz (gray green in color)</p>		
2											
4											
6											
8											
10											
12											
14											
16											
18											
20											
22											
24											
26											
28											
30											
32											
34											
36											
38											
40											
42											
44											
46											
48											
50											
52											
54											
56											
58											
60											
62											
64											
66											
68											
70											
72											
74											
76											
78											
80											
82	SS										
84											
86											
88											
90											
92											
94											
96											
98											
100											
102											
104											
106											
108											
110											
112											
114											
116											
118											
120											
122											
124											
126											
128											
130											
132											
134											
136											
138											
140											
142											
144											
146											
148											
150											
152											



CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By: JPK	Date: 02/16/19
							Comments	
0								0-146cm dark greenish gray thinly laminated silty clay
2								
4								
6								
8								
10								
12								
14								
16								
18								
20								
22								
24								
26								
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48								
50								
52								
54								
56								
58								
60								
62								
64								
66								
68								
70								
72								
74								
76								
78								
80								
82								
84								
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								

slight biscuits

102-103cm thin lamina of sandy silt, 1 intracast

122-123cm
2 sandy silt laminae

125-126cm
1 sandy silt lamina

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology				Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
			C	ST	SD	G				JPK	2/16/19
0									0-150cm dark greenish gray silty clay thinly laminated 20cm H. colored silt pool		
2											
4											
6											
8											
10											
12											
14											
16											
18											
20											
22											
24											
26											
28											
30		slight biscuits									
32											
34											
36											
38											
40											
42											
44											
46											
48											
50											
52											
54											
56											
58											
60											
62											
64		65									
66											
68											
70											
72											
74		mod.									
76											
78											
80											
82											
84											
86		86									
88											
90											
92											
94											
96											
98											
100											
102											
104											
106											
108		slight									
110											
112											
114											
116											
118											
120											
122											
124											
126											
128											
130											
132											
134											
136											
138											
140											
142											
144											
146											
148											
150											
152											

111.5-112.5 greenish gray sand/silty laminae (3 evenly spaced) with coarse sand

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology				Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
			C	ST	SD	G				JPK	2-16-19
0									<p>Dark greenish gray silty clay turnly laminated</p>		
2											
4											
6											
8											
10											
12											
14											
16											
18											
20											
22											
24											
26											
28											
30											
32											
34											
36											
38											
40											
42											
44											
46											
48											
50		Slight biscuits									
52											
54											
56											
58											
60											
62											
64											
66											
68											
70											
72											
74											
76											
78											
80											
82											
84											
86											
88											
90											
92											
94											
96											
98											
100											
102											
104											
106											
108											
110											
112											
114											
116											
118											
120											
122											
124											
126											
128	SS										
130											
132											
134											
136											
138											
140											
142											
144											
146											
148											
150											
152											

Dark greenish gray silty clay turnly laminated

Slight biscuits

57-58cm - 3 silt pods

72cm sandy silty lamina with dispersed granules


79cm sandy silt lamina with sand pod + 1 pebble (qtz + chlorite?)

105cm granules

127-128cm Very dk gray sandy silt lamina includes: 1cm diameter diatom-rich mud clast (soft), diatoms are broken but appear "fresh"

Smear slide taken from within interval

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By: JPK	Date: 2-16-19
							Comments	
0						0	0-147cm dark greenish gray silty clay, thinly laminated	
2						0		
4						0		
6						0		
8						0		
10						0		
12						0		
14						0		
16						0		
18						0		
20						0	50cm granule	
22						0		
24						0		
26						0		
28						0		
30						0		
32						0		
34						0		
36						0		
38						0		
40						0	102cm qtz pebble	
42						0		
44						0		
46						0		
48						0		
50						0		
52						0		
54						0		
56						0		
58						0		
60						0		
62						0		
64						0		
66						0		
68						0		
70						0		
72						0		
74						0		
76						0		
78						0		
80						0		
82						0		
84						0		
86						0		
88						0		
90						0		
92						0		
94						0		
96						0		
98						0		
100						0		
102						1		
104						0		
106						0		
108						0		
110						0		
112						0		
114						0		
116						0		
118						0		
120						0		
122						0		
124						0		
126						0		
128						0		
130						0		
132						0		
134						0		
136						0		
138						0		
140						0		
142						0		
144						0		
146						0		
148						0		
150						0		
152						0		



Slight biscuits

mod biscuits

122



0

102cm qtz pebble

1

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
							JPK	2-16-19
								Comments
0								Dark greenish gray silty clay finely laminated
2								
4								
6								
8								
10								
12								
14								
16								
18								
20								
22								
24								
26								
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48								
50								
52								
54								
56								
58								
60								
62								
64								
66								
68								
70								
72								
74								
76								
78								
80								
82								
84								
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								

mod biscuits

74 cm

slight biscuits

54cm 1 gravel

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By: JPK	Date: 2-16-19
							Comments	
0							0-48 cm Dark greenish gray silty clay thinly laminated	
2								
4								
6								
8								
10								
12								
14								
16								
18								
20								
22								
24								
26		Mod biscuit		0		0		
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48								
50								
52								
54								
56								
58								
60								
62								
64								
66								
68								
70								
72								
74								
76								
78								
80								
82								
84								
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0-4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
							JPK	2-16-19
Comments								
0								
2								
4								
6								
8								
10								
12								
14								
16								
18								
20								
22								
24								
26								
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48								
50								
52								
54								
56								
58								
60								
62								
64								
66								
68								
70								
72								
74								
76								
78								
80								
82								
84								
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								

PAL

mod
biscuit

↑
0
↓

↑
0
↓

Dark greenish gray
silty clay, finely laminated

Zem - silt lamina with coarse
sand grains