


CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0-4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
							SP	2/26/19
Comments								
0-28	fall-in			X		∅	0-28cm: probably fall-in	
28-53				2	↑ 28 ↓ 53		28-53cm: pale brown and light brown color-banded silty clay 53cm: sharp contact	
53-117			gray				53-117cm: light yellowish brown changing color upward to pale brown and gray, heavily bioturbated diatom-rich mud	
100-117	SS	none		3			SS, 100cm: diatom-rich mud	
117-150			light brown	2	↑ 117 ↓ 150		117-150cm: pale brown and light brown color-banded silty clay. color banding on cm-to dm-scale	

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0-4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
							SP	2/26/19
0							Comments	
2							0-27 cm: pale brown and light brown color-banded silty clay	
4								
6								
8								
10								
12								
14								
16								
18								
20							16 cm: silt lamina with black +28 cm grains (Mn-oxide?)	
22								
24								
26								
28							27-69 cm: pale brown diatom-bearing silty clay	
30								
32								
34								
36								
38								
40								
42								
44								
46								
48								
50								
52								
54								
56								
58								
60							59, 69 cm: silt laminae	
62								
64								
66								
68								
70							69-146: pale brown and light brown color-banded clay	
72								
74								
76								
78								
80								
82								
84								
86							89 cm: silt lamina	
88								
90								
92								
94								
96							95 cm, SS: clay	
98								
100								
102							91-115 cm: black horizons	
104								
106								
108								
110								
112								
114								
116							115 cm: small pebble	
118								
120								
122								
124								
126								
128							120-133: black mottling	
130								
132								
134								
136								
138								
140								
142								
144								
146	146							
148								
150								
152								

IW

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0-4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
							SP	2/26/19
0							<p>0-48cm: light brown and pale brown color-banded silty clay</p> <p>0-20cm: black mottles</p> <p>32-47cm: black-colored horizon/staining</p> <p>48cm: silt lamina, also 26, 40cm</p> <p>48-80cm: light yellowish brown clay</p> <p>80-151cm: pale brown to gray diatom-bearing silty clay, massive, color-banded - several bioturbated color contacts</p>	
2								
4								
6								
8								
10								
12								
14								
16								
18								
20								
22								
24								
26								
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48								
50								
52								
54								
56								
58								
60								
62								
64								
66								
68								
70								
72								
74								
76								
78								
80								
82								
84								
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152	151	151			151			

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0-4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By: SP	Date: 2/26/19
							Comments	
0								
2								
4								
6								
8								
10								
12								
14								
16								
18			- gray					
20								
22								
24								
26								
28								
30								
32								
34								
36								
38								
40			- brown	2				
42								
44								
46								
48								
50								
52			- gray					
54								
56								
58								
60								
62								
64								
66								
68								
70								
72								
74			- very pale brown					
76								
78								
80								
82								
84			- pale brown					
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124			- brown					
126								
128				4				
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152	151							



cracks

89

0-110cm: pale brown to gray diatom-bearing silty clay, massive, bioturbated color contacts

61-67cm: gray mottles, possible burrows

ss, 65cm: diatom-bearing silty clay

89cm: lamina, sandy silt

110cm: gradational contact

110-151cm: brown muddy diatom ooze, completely bioturbated

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology c ST SD G	Bioturbation Index 0-4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
							BZ	26/2/19
0								
2						1		0-25cm Pale brown ^{muddy} diatom ooze massive with gradational lower boundary from 21-29cm
4								
6								
8								
10				0				
12								
14						0		
16								
18								
20								
22								
24						0		25-72cm Dark grayish brown ^{muddy} diatom ooze Dark mottling throughout
26								
28								
30								
32								
34						0		
36								
38								
40								
42								
44								
46				2		0		
48								
50	SS							
52								
54						1		
56								
58								
60								
62								
64						0		
66								
68		Cracked						
70	SS							
72	SS							72-145cm Pale brown clayey ^{biogenic} ooze with faint mottling
74	SS							
76						0		
78								
80						0		
82								
84						0		
86								
88								
90								
92								
94						1		
96								
98								
100								
102								
104								
106						0		
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								145
148								
150								
152								

IW

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology				Bioturbation Index 0-4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
			C	ST	SD	G				BR	26/2/19
0											
2											
4											
6											
8											
10											
12						2	○ ○ ○				
14											
16											
18											
20											
22											
24											
26											
28											
30						3	○ ○ ○				
32	SS										
34											
36											
38											
40											
42											
44											
46											
48						2	○ ○ ○				
50											
52											
54											
56											
58											
60											
62											
64											
66											
68		Chalked									
70											
72											
74											
76											
78											
80											
82											
84											
86	SS					1	○ ○ ○				
88											
90											
92											
94											
96											
98											
100											
102											
104											
106											
108											
110											
112											
114											
116											
118											
120											
122											
124											
126											
128											
130											
132						3	○ ○ ○				
134											
136											
138											
140											
142											
144											
146											
148											
150											
152											

0-27cm Pale brown clayey ooze with mottling throughout
Mottling is black in color

27-35cm Dark yellowish brown silty clay. Mottling throughout

35-66cm Pale brown diatom bearing mud with mottling and surface voids

66-121cm Pale brown ^{biosilicious bearing} silty clay with mottling throughout

121-150cm Dark brown to light grayish brown silty clay with color banding and mottling throughout

150

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology				Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
			C	ST	SD	G				BR	26/2/19
										Comments	
0											
2											
4											
6											
8											
10											
12											
14											
16											
18											
20											
22											
24											
26											
28											
30											
32											
34											
36											
38											
40											
42											
44											
46											
48											
50											
52											
54											
56											
58											
60											
62											
64											
66											
68											
70											
72											
74											
76											
78											
80											
82											
84											
86											
88											
90											
92											
94											
96											
98											
100											
102											
104											
106											
108											
110											
112											
114											
116											
118											
120											
122											
124											
126											
128											
130											
132											
134											
136											
138											
140											
142											
144											
146											
148											
150											
152											

PAL

0-26cm Dark yellowish brown silty clay with mottling

SP
OO