


CM Scale	SS+TS Sample	Drilling Disturbance	Lithology				Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
			C	ST	SD	G				JPK	03/06/19
									Comments First appearance of chert?		
0									0-150 cm: Very dark greenish gray silty clay.		
2									0-69 cm: Heavily disturbed by fall-in		
4									69-150 cm: Thinly laminated		
6									55-64 cm: Two pebbles in fall-in (granite; 6.5cm, angular; chert, 5.5cm, sub-angular)		
8									62-64 cm: <u>Chert</u>		
10		↑									
12											
14											
16											
18											
20											
22											
24											
26											
28											
30											
32											
34											
36											
38											
40											
42											
44											
46											
48											
50											
52											
54											
56											
58											
60									62cm: smear slide from chert		
62											
64											
66											
68											
70											
72											
74											
76											
78											
80											
82											
84											
86											
88											
90											
92											
94											
96											
98											
100											
102											
104											
106											
108											
110											
112											
114											
116											
118											
120											
122											
124											
126											
128											
130											
132											
134											
136											
138											
140											
142											
144											
146											
148											
150											
152											



fall-in

biscuiting

SS

0

0

62cm: smear slide from chert

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0-4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
							JPK	03/06/19
0							0-80 cm: Very dark greenish gray silty clay Thinly laminated	
2								
4								
6								
8								
10								
12								
14								
16								
18								
20								
22								
24								
26					1			
28								
30								
32								
34								
36								
38								
40				0				
42								
44								
46								
48								
50								
52								
54								
56								
58								
60								
62								
64								
66								
68								
70								
72								
74								
76								
78								
80					0			
82				3				
84								
86								
88				2				
90								
92								
94								
96								
98	SS			1				
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128				0				
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								

80-88 cm: greenish gray diatom-rich mud with dispersed coarse sand grains
Massive

88-92.5 cm: dark greenish gray silty clay
Faintly laminated

92.5-97.5 cm: Dark greenish gray silty clay
Very disturbed

97.5-150 cm: Dark greenish gray silty clay
Thinly laminated

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology c ST SD G	Bioturbation Index 0-4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
							JPK	03/06/19
Comments								
0								
2								
4								
6								
8								
10								
12								
14								
16								
18				0				
20								
22								
24								
26								
28								
30								
32								
34								
36								
38	SS			3		↑		
40								
42								
44								
46								
48	SS			1				
50								
52								
54						0		
56								
58								
60								
62								
64								
66								
68								
70								
72								
74								
76								
78				0		↓		
80								
82								
84								
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106				2				
108								
110								
112								
114								
116								
118				1				
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								

M
IW
NBIO

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0-4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By: JPK	Date: 03/06/19
							Comments	
0								0-56 cm: Dark greenish gray diatom-rich mud Thinly laminated and slightly bioturbated
2								
4								
6								
8								
10								
12								
14								
16								
18								
20								
22								
24								
26				1		0		
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48								
50								
52	SS							56-66 cm: Greenish gray diatom-rich mud with dispersed sand grains and granules, massive
54								
56	SS					1		
58								
60				3				
62								
64						1		
66								
68								
70				2				
72								
74								66-125 cm: Dark greenish gray diatom-rich mud Faintly to thinly laminated
76								
78								
80								
82								
84								
86								
88								
90								
92								
94								
96				1		0		
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128						1		125-150 cm: Greenish gray diatom-rich sandy mud with dispersed clasts Massive
130								
132								
134								
136								
138				4		0		
140								
142								
144								
146								
148								
150						0		152 cm: dark gray lens - Prominent dark brown discontinuous color band at 125 cm
152								

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
							JPK	03/06/19
Comments								
0						0	0-16cm: Dark greenish gray diatom-rich mud Thinly laminated	
2						0		
4				1				
6								
8								
10								
12								
14								
16								
18								
20								
22								
24								
26								
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48								
50								
52								
54								
56								
58								
60								
62								
64								
66								
68								
70								
72								
74								
76								
78								
80								
82								
84								
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								

PAL