

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0-4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By: JPK	Date: 02/28/19
							Comments	
0							0-150 cm: Brown clay with grayish brown color bands Massive - Dark gray mottles throughout - Dispersed sand grains throughout (SS) Diatom-rich	
2								
4								
6								
8								
10								
12								
14								
16								
18								
20								
22								
24								
26								
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48								
50								
52								
54								
56								
58								
60								
62								
64								
66								
68								
70								
72								
74								
76								
78								
80								
82								
84								
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								

CM Scale
0
2
4
6
8
10
12
14
16
18
20
22
24
26
28
30
32
34
36
38
40
42
44
46
48
50
52
54
56
58
60
62
64
66
68
70
72
74
76
78
80
82
84
86
88
90
92
94
96
98
100
102
104
106
108
110
112
114
116
118
120
122
124
126
128
130
132
134
136
138
140
142
144
146
148
150
152

70cm
-SS

fall-in

e
s
s

↑

4

↓

↑

0

↓

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By: JPK	Date: 02/28/19
							Comments	
0	SS	e k o k	[Hand-drawn lithology profile]	↑ 3 ↓		↑ 0 ↓	<p>0-150 cm: Brown ^{silty} clay color banded with dark yellowish brown</p> <ul style="list-style-type: none"> - Dark gray mottling between 70 and 110 cm - Three mottled bands from 23-25 cm, 37-44 cm, 58-60 cm <p>142-150 cm: color banding with greenish gray</p>	
2								
4								
6								
8								
10								
12								
14								
16								
18								
20								
22								
24								
26								
28								
30								
32								
34								
36								
38								
40								
42								
44								
46								
48								
50								
52								
54								
56								
58								
60								
62								
64								
66								
68								
70								
72								
74								
76								
78								
80								
82								
84								
86								
88								
90								
92								
94								
96								
98								
100								
102								
104								
106								
108								
110								
112								
114								
116								
118								
120								
122								
124								
126								
128								
130								
132								
134								
136								
138								
140								
142								
144								
146								
148								
150								
152								

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By: JPK	Date: 02/28/19
							Comments	
0							0 - 74 cm: Greenish gray silty clay Massive Diatom rich 2-42cm: gray mottles 44cm: yellowish brown mottle 74-150 cm: yellowish brown silty clay biosiliceous-bearing - 74-77cm: gray mottles - Light gray color bands from 128 to 139 cm	
-2								
-4								
-6								
-8								
-10								
-12								
-14								
-16								
-18								
-20								
-22								
-24								
-26								
-28								
-30	SS							
-32								
-34								
-36								
-38								
-40								
-42								
-44								
-46								
-48								
-50								
-52								
-54								
-56								
-58								
-60								
-62								
-64								
-66								
-68								
-70				3		0		
-72		e						
-74								
-76								
-78		s						
-80								
-82								
-84	SS	o						
-86								
-88								
-90		v						
-92								
-94								
-96								
-98								
-100								
-102								
-104								
-106								
-108								
-110								
-112								
-114								
-116								
-118								
-120								
-122								
-124								
-126								
-128								
-130								
-132								
-134								
-136								
-138								
-140	SS							
-142								
-144								
-146								
-148								
-150								
-152								

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0-4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By: EAC/JPK	Date: 2-28-19
							Comments	
0						0	0-150 cm: Diatom-rich Brown clay color banded with yellowish brown	
2						0		
4						0	Massive	
6						0		
8						0	Dark gray mottling between 56 and 67 cm	
10						0		
12						0		
14						0		
16						0		
18						0		
20	SS 18 cm					1	52cm - 2.5cm dia., subangular, rhyolite with sandy gtz.	
22						1		
24						1		
26						1		
28						1		
30						1		
32						1		
34						1		
36						1		
38						1		
40						1		
42						1		
44						1		
46						1		
48						1		
50						1		
52						1		
54						1		
56						1		
58						1		
60						1		
62						1		
64						1		
66						1		
68						1		
70						1		
72						1		
74						1		
76						1		
78						1		
80						1		
82						1		
84						1		
86						1		
88						1		
90						1		
92						1		
94						1		
96						1		
98						1		
100						1		
102						1		
104						1		
106						1		
108						1		
110						1		
112						1		
114						1		
116						1		
118						1		
120						1		
122						1		
124						1		
126						1		
128						1		
130						1		
132						1		
134						1		
136						1		
138						1		
140						1		
142						1		
144						1		
146						1		
148						1		
150						1		
152						1		

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology C ST SD G	Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By: JPK	Date: 2-28-19
							Comments	
0	SS 10 cm			↑			0-77 cm: Yellowish brown clay color banded with brown Massive - Dark gray mottling between 30 and 33 cm, 41 and 46 cm and 49 and 57 cm - Dispersed sand grains throughout - Traces of diatoms	
-2								
-4								
-6								
-8								
-10								
-12								
-14								
-16								
-18								
-20	SS 55 cm	e s o s		4		0		
-22								
-24								
-26								
-28								
-30								
-32								
-34								
-36								
-38								
-40								
-42								
-44								
-46								
-48								
-50								
-52								
-54								
-56								
-58								
-60								
-62								
-64								
-66								
-68								
-70								
-72								
-74								
-76								
-78								
-80								
-82								
-84								
-86								
-88								
-90								
-92								
-94								
-96								
-98								
-100								
-102								
-104								
-106								
-108								
-110								
-112								
-114								
-116								
-118								
-120								
-122								
-124								
-126								
-128								
-130								
-132								
-134								
-136								
-138								
-140								
-142								
-144								
-146								
-148								
-150								
-152								

CM Scale	SS+TS Sample	Drilling Disturbance	Lithology				Bioturbation Index 0 - 4	Sedimentary Structures	Pebble Counts >4mm less than #10	Logged By:	Date:
			C	ST	SD	G				JPK	2-28-19
										Comments	
0		none						0	0-16 cm: yellowish brown clay massive		
2								0			
4											
6											
8											
10											
12											
14											
16											
18											
20											
22											
24											
26											
28											
30											
32											
34											
36											
38											
40											
42											
44											
46											
48											
50											
52											
54											
56											
58											
60											
62											
64											
66											
68											
70											
72											
74											
76											
78											
80											
82											
84											
86											
88											
90											
92											
94											
96											
98											
100											
102											
104											
106											
108											
110											
112											
114											
116											
118											
120											
122											
124											
126											
128											
130											
132											
134											
136											
138											
140											
142											
144											
146											
148											
150											
152											

PAL