

IODP-MSP (Exp. 386) VISUAL CORE DESCRIPTION

Exp. 386	Site 89	Hole B	Core 1	Type H	Section 4
-------------	------------	-----------	-----------	-----------	--------------

Date 2/22	Time 15:40	Observers Hry
--------------	---------------	------------------

[cm]	X-CT Image	Coring Distur.	Unit	Lithol.	Grain Size						Samples	Sed. Struct. Trace Fossils	Biotur.	Sorting			Roundn.	Colour	Description		
					si m	f m	c m	g m	c p	0				6	p	m				w	a
0	X-CT Image																2.5Y 4/2	heavy bioturb clay with some black spots (10mm scale.)			
10																	2.5Y 4/2				
20																					
30																		2.5Y 4/2	24 slight bioturb clay		
40																					
50																					
60																		2.5Y 4/2	54-58, silty clay 58-58.2, silt.		
70																		2.5Y 4/2	heavy bioturb silty clay		
80																					
90																		2.5Y 4/2	82-95, 2.5Y 4/2 clay 84.7-85cm 2.5Y 5/2 silty clay slight bioturb clay		
100																		2.5Y 5/2	92-93-95, three silty clay beds. in ~2mm thick 95-100m: no bioturb clay		

close up

(0 ~ 101.0)