

* 3/2 modified

IODP-MSP (Exp. 386) VISUAL CORE DESCRIPTION

| Exp. | Site | Hole | Core | Type | Section | Date | Time | Observers |
|------|------|------|------|------|---------|------|-------|-----------|
| 386 | 84 | F | 1 | H | 25 | 2/26 | 12:10 | Jshrawa |

| [cm] | X-CT Image | Coring Distur. | Unit | Lithol. | Grain Size | | | | | | Samples | Sed. Struct. Trace Fossils | Biotur. | Sorting | | | | Roundn. | Colour | Description |
|------|------------|----------------|------|---------|------------|----|---|----|---|---|---------|----------------------------|---------|---------|---|---|---------|-------------------------------------|---|-------------|
| | | | | | m | vf | m | vc | p | c | | | | 0 | 6 | p | m | | | |
| 0 | | | | | | | | | | | | | | | | | 7.5/4/2 | 6-7 silty clay black dots (~3mm) | | |
| 10 | | | | | | | | | | | | | | | | | | | 7-8 botulb silt layer | |
| 20 | | | | | | | | | | | | | | | | | | | 8-22 14/1 black dots (~3mm) | |
| 30 | | | | | | | | | | | | | | | | | | | 20-22 5/6/1 black dots (~3mm) | |
| 40 | | | | | | | | | | | | | | | | | | | 28-34 clay black dots (~3mm) | |
| 50 | | | | | | | | | | | | | | | | | | | 37-40 3/2 heavy botulb black dots (~5mm) | |
| 60 | | | | | | | | | | | | | | | | | | | 45-50 4/2 black dots (~3mm) | |
| 70 | | | | | | | | | | | | | | | | | | | 60-73 18 clay black dots (~3mm) | |
| 80 | | | | | | | | | | | | | | | | | | | 17.3-10.4 clay black dots (~3mm) | |
| 90 | | | | | | | | | | | | | | | | | | | 23.4 4/2 black dots (~3mm) | |
| 100 | | | | | | | | | | | | | | | | | | | | |

not full

in 24.